# AEB IMPROVEMENT THROUGH BIOTECHNOLOGY

#### SAFETY DATA SHEET

#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#1/16

In conformity to Regulation (EU) 2020/878

#### SECTION 1. Identification of the substance/mixture and of the company/enterprise

#### 1.1. Product identifier

Product name: CELOFOAM

Product code: refer to sales department

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Foaming Cleanser

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Washing and Cleaning Products (including solvent based products)

Process categories:

Industrial spraying[PROC7], Transfer of substance or mixture (charging and discharging) at nondedicated facilities[PROC8A], Transfer of substance or mixture (charging and discharging) at dedicated facilities[PROC8B], Non industrial spraying[PROC11]

Not recommended uses

Do not use for purposes other than those listed

#### 1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy

Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com E-mail tecnico competente/technical dept.: sds@aeb-group.com

\_\_\_\_\_

**AEB USA** 

111 N Cluff Avenue Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

\_\_\_\_\_

AEB AFRICA (PTY) LTD

18 Track Crescent, Cor. Station Road Montague Gardens 7441

Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD 178A Wakaden Street Griffith NSW 2680

T: 1300 704 971

Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by AEB SpA Via Vittorio Arici 104 S. Polo



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#2/16

In conformity to Regulation (EU) 2020/878

25134 Brescia

#### 1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

#### **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05

Hazard Class and Category Code(s): Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1

. . .

Hazard statement Code(s):

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

The product can be corrosive to metals

Corrosive product: causes severe skin burns and eye damage.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS05 - Danger

Hazard statement Code(s):

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:



# AEB

#### **SAFETY DATA SHEET**

#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#3/16

In conformity to Regulation (EU) 2020/878

#### Prevention

P260 - Do not breathe vapours/spray.

P280 - Wear protective gloves/clothing and eye/face protection

#### Response

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Contains:

orthophosphoric acid.

#### Contains (Reg.EC 648/2004):

< 5% non-ionic surfactants

#### 2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

Do not ingest. Keep out of reach of children.

#### **SECTION 3. Composition/information on ingredients**

#### 3.1 Substances

Irrilevant

#### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACh
Orthophosphoric acidB	>= 25 < 50%	Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Limits: Skin Corr. 1B, H314 %C >=25; Skin Irrit. 2, H315 10<= %C <25; Eye Irrit. 2, H319 10<= %C <25;	015-011-00-6	7664-38-2	231-633-2	01-2119485 924-24-XXX X
Amines, C12-14 alkyldimethyl, N-oxides	>= 1 < 2,5%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 1.064,0		308062-28-4	931-292-6	01-2119490 061-47-XXX X



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#4/16

#### In conformity to Regulation (EU) 2020/878

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACh
		mg/kg				
N,N-Dimethyltetradecylamine N-Oxide	>= 0,1 < 1%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 1.495,0 mg/kg		3332-27-2	222-059-3	01-2119949 262-37-XXX X

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take off immediately contaminated clothing.

In case of contact with skin, wash immediately with watrer.

Immediately consult a physician.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

#### Ingestion:

Rinse mouth immediately.

Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

If ingested, it can cause chemical burns in the mouth and throat.

Skin contact may cause burns.

Contact with eyes may cause intense irritation, including redness and tearing.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, go to the emergency room or a doctor immediately and, if possible, show this MSDS.

Symptomatic treatment

#### SECTION 5. Firefighting measures

## **AEB**

#### SAFETY DATA SHEET

#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#5/16

In conformity to Regulation (EU) 2020/878

#### 5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

#### 5.2. Special hazards arising from the substance or mixture

No data available.

#### 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas.

Keep containers cool with water spray

#### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

#### 6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Privide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

#### 6.2. Environmental precautions

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities.

Dispose of the waste material in compliance with the regulations

#### 6.3. Methods and material for containment and cleaning up

#### 6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS) Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert materia or sucked it. Prevent it from entering the sewer system.

#### 6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

#### 6.3.3 Other information:

None in particular.



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#6/16

In conformity to Regulation (EU) 2020/878

#### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

#### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
Wear protective gloves/clothing and eye/face protection
Handle the product after consulting all other sections of this safety data sheet.
At work do not eat or drink.
See also paragraph 8 below.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

#### 7.3. Specific end use(s)

Industrial Manufacturing:

Handle with care. Store in a ventilated place away from heat sources (7-30 ° C), in the original, tightly closed container

Manufacture of food products:

Handle with care. Store in a ventilated place away from heat sources (7-30 ° C), in the original, tightly closed container

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated place away from heat sources (7-30 °C), in the original, tightly closed container

See the annex exposure scenario.

### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Related to contained substances:

Orthophosphoric acid: Limit value – Eight hours

(ppm)/(mg/m3)
Argentina x/1
Australia: x/1
Austria: x/1
Belgium: x/1
Canada-Ontario: x/1

Canada-Ontario: x/1 Canada-Quèbec: x/1 Czech rep.: x/1 Denmark: x/1 European Union: x/1

Finland: x/1 France: 0.2/1

Germany (AGS): x/2 inhalable aerosol Germany (DFG): x/2 inhalable aerosol

Hungary: x/1 Ireland: x/1 Italy: x/1



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#7/16

In conformity to Regulation (EU) 2020/878

New Zealand: x/1

People's Republic of China: x/1

Poland: x/1
Portugal: x/1
Singapore: x/1
Slovakia: x/1
South Korea: x/1
Spain: x/1

Spain: x/1 Sweden: x/1 Switzerland: x/1 The Netherlands: x/1

Turkey: x/1

USA – NIOSH: x/1 USA – OSHA: x/1 United Kingdom: x/1

Limit value - Short Term

(ppm)/(mg/m3) Argentina: x/3 Australia: x/x Austria: x/2 Belgium: x/2

Canada-Ontario: x/3 Canada-Quèbec: x/3 Czech rep.: x/2 Denmark: x/2 European Union: x/2 Finland: x/2(1) France: 0.5/2

Germany (AGS): x/4 inhalable aerosol Germany (DFG): x/4 inhalable aerosol

Hungary: x/2 Ireland: x/2(1) Italy: x/2 New Zealand:x/x

People's Republic of China: x/3(1)

Poland: x/2
Portugal: x/2
Singapore: x/x
Slovakia: x/2
South Korea: x/3
Spain: x/2
Sweden: x/3(1)
Switzerland: x/2
The Netherlands: x/2

Turkey:x/2(1)

USA – NIOSH: x/3(1) USA – OSHA: x/x United Kingdom: x/2

#### Remarks

European Union: Bold-type: Indicative Occupational Exposure Limit Values [2.3] and Limit Values for Occupational

Exposure [4] ~ (for references see bibliography)

Finland: (1) 15 minutes average value

France: Italic type: Indicative satatutory limits value Germany (AGS): (1) 15 minutes average value Germany (DFG): STV 15 minutes value

Ireland: (1) 15 minutes reference period

People's Republic of China: (1) 15 minutes average value



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#8/16

In conformity to Regulation (EU) 2020/878

Sweden: (1) Short-term value, 15 minutes average value

Turkey: (1) 15 minutes average value

USA – NIOSH: (1) 15 minutes average value

#### - Substance: Orthophosphoric acid

**DNEL** 

Local effects Long term Workers inhalation = 1 (mg/m3) Local effects Long term Consumers inhalation = 0,73 (mg/m3) Local effects Short term Workers inhalation = 2 (mg/m3)

#### - Substance: Amines, C12-14 alkyldimethyl, N-oxides

DNEL

Systemic effects Long term Workers inhalation = 6,2 (mg/m3) Systemic effects Long term Workers dermal = 11 (mg/kg bw/day) Systemic effects Long term Consumers inhalation = 1,53 (mg/m3) Systemic effects Long term Consumers dermal = 5,5 (mg/kg bw/day) Systemic effects Long term Consumers oral = 0,44 (mg/kg bw/day)

**PNEC** 

Sweet water = 0.0335 (mg/l)

sediment Sweet water = 5,24 (mg/kg/sediment)

Sea water = 0,00335 (mg/I)

sediment Sea water = 0,524 (mg/kg/sediment)

intermittent emissions = 0,0335 (mg/l)

STP = 24 (mg/l)

ground = 1,02 (mg/kg ground)

#### - Substance: N,N-Dimethyltetradecylamine N-Oxide

DNEL

Systemic effects Long term Workers inhalation = 6,2 (mg/m3)

Systemic effects Long term Workers dermal = 11 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 1,53 (mg/m3)

Systemic effects Long term Consumers dermal = 5,5 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,44 (mg/kg bw/day)

**PNEC** 

Sweet water = 0.0335 (mg/I)

sediment Sweet water = 5,24 (mg/kg/sediment)

Sea water = 0.0335 (mg/l)

sediment Sea water = 0,524 (mg/kg/sediment)

intermittent emissions = 0.0335 (mg/l)

STP = 24 (mg/l)

ground = 1,02 (mg/kg ground)

#### 8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#9/16

In conformity to Regulation (EU) 2020/878

#### 8.2.2 Individual protection measures:

(a) Eye / face protection Wear protective goggles (EN 166).

#### (b) Skin protection

#### (i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

#### (ii) Other

During working operation wear protective clothing (generic workwear / antacid, safety shoes or other protective equipment) according to the instructions of the employer

#### (c) Respiratory protection

Not needed for normal use.

In case of insufficient ventilation or emergency, use mask with gas filters and and inorganic vapors - Grey , Class 3 , B (EN 405) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic. None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements (89/656/EEC, 245/2016 UE), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization

(d) Thermal hazards No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

#### **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	clear liquid	
Colour	olive green	
Odour	odorless	
Odour threshold	not determined as it is considered not relevant for the characterization of the product	
рН	<2.0 (20 ° C); 2.0 ± 0.5 (20 ° C; sol. 6%)	
Melting point/freezing point	not determined as it is considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as it is considered not relevant for the characterization of the product	
Flash point	not determined as it is considered not relevant for the characterization of the product	
Evaporation rate	not determined as it is considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as it is considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as it is considered not relevant for the characterization of the product	



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

# 10 / 16

#### In conformity to Regulation (EU) 2020/878

Physical and chemical properties	Value	Determination method
Vapour pressure	not determined as it is considered not relevant for the characterization of the product	
Vapour density	not determined as it is considered not relevant for the characterization of the product	
Relative density	1.35 ± 0.05 (20 ° C)	
Solubility	in water	
Water solubility	miscible in all proportions	
Partition coefficient: n-octanol/water	not determined as it is considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as it is considered not relevant for the characterization of the product	
Decomposition temperature	not determined as it is considered not relevant for the characterization of the product	
Viscosity	not determined as it is considered not relevant for the characterization of the product	
Explosive properties	not determined as it is considered not relevant for the characterization of the product	
Oxidising properties	not determined as it is considered not relevant for the characterization of the product	

#### 9.2. Other information

No data available.

### **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

Acid

#### 10.2. Chemical stability

Stable at room temperature and under normal conditions of use. Corrosive to concrete.

#### 10.3. Possibility of hazardous reactions

Reacts exothermically with water.

Reacts vigorously with reducing agents, strong bases, organic materials and chlorides. Reaction with the most common metals can release oxygen.

#### 10.4. Conditions to avoid

Direct heat sources and the provisions of 10.3

## **AEB**

#### SAFETY DATA SHEET

#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

#11/16

In conformity to Regulation (EU) 2020/878

#### 10.5. Incompatible materials

It can generate flammable gases in contact with elementary metals, nitrides, inorganic sulphides, strong reducing agents.

It can generate toxic gases in contact with inorganic sulphides, strong reducing agents.

#### 10.6. Hazardous decomposition products

In contact with metals, the product develops hydrogen.

#### **SECTION 11. Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ATE(mix) oral = 49.354,0 mg/kg

(a) acute toxicity: Orthophosphoric acid: Ingestion-rat LD50 (mg/kg/bw 12h): 2600

Skin contact-LC50 rat/coniglio (mg/kg/bw 12h): 2740

Inhalation-rat LD50 (mg/l/4h): n.a.

Amines, C12-14 alkyldimethyl, N-oxides: Ingestion - LD50 rat (mg / kg / 24h bw): 1064

Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): na

Inhalation - LD50 rat (mg / I / 4h): na

N,N-Dimethyltetradecylamine N-Oxide: Ingestion - LD50 rat (mg / kg / 24h bw):> 1495

Skin contact - LC50 rat / rabbit (mg / kg / 24h bw):> 2000

Inhalation - LD50 rat (mg / I / 4h): nd

(b) skincorrosion/irritation: Corrosive product: causes severe skin burns and eye damage.

Orthophosphoric acid: Corrosive

Amines, C12-14 alkyldimethyl, N-oxides: Non-corrosive N,N-Dimethyltetradecylamine N-Oxide: Non-corrosive

Orthophosphoric acid: Irritating

Amines, C12-14 alkyldimethyl, N-oxides: Irritating N,N-Dimethyltetradecylamine N-Oxide: Irritating

(c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage. - If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Orthophosphoric acid: Corrosive

Amines, C12-14 alkyldimethyl, N-oxides: Corrosive

N,N-Dimethyltetradecylamine N-Oxide: Causes eye damage

Orthophosphoric acid: Irritating

Amines, C12-14 alkyldimethyl, N-oxides: Irritating N,N-Dimethyltetradecylamine N-Oxide: Irritating

(d) respiratoryorskinsensitisation: Orthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Not available N,N-Dimethyltetradecylamine N-Oxide: Not available

(e) germ cell mutagenicity: Orthophosphoric acid: Non-mutagenic

Amines, C12-14 alkyldimethyl, N-oxides: Not available N,N-Dimethyltetradecylamine N-Oxide: Non-mutagenic

(f) carcinogenicity: Orthophosphoric acid: Non-carcinogenic

Amines, C12-14 alkyldimethyl, N-oxides: Not available N,N-Dimethyltetradecylamine N-Oxide: Non-carcinogenic

(g) eproductivetoxicity: Orthophosphoric acid: Non-toxic for reproduction

Amines, C12-14 alkyldimethyl, N-oxides: Not available

## **AEB**

#### SAFETY DATA SHEET

#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

# 12 / 16

In conformity to Regulation (EU) 2020/878

N,N-Dimethyltetradecylamine N-Oxide: Non-toxic for reproduction

(h) specific target organ toxicity (STOT) single exposure: Orthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Not available N,N-Dimethyltetradecylamine N-Oxide: Not available

(i) specific target organ toxicity (STOT) repeated exposureOrthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Not available N,N-Dimethyltetradecylamine N-Oxide: Not available (j) aspiration hazard: Orthophosphoric acid: Not available Amines, C12-14 alkyldimethyl, N-oxides: Not available N,N-Dimethyltetradecylamine N-Oxide: Not available

#### 11.2. Information on other hazards

No data available.

### **SECTION 12. Ecological information**

#### 12.1. Toxicity

Related to contained substances:

Orthophosphoric acid:

Endpoint: LC50-species: Fish = 75.1 mg/l-h Duration: 96

Endpoint: EC50-species: Daphnia magna > 100 mg/l-h Duration: 48

Endpoint: EC50-species: Algae > 100 mg/l-h Duration: 72

Amines, C12-14 alkyldimethyl, N-oxides: Acute toxicity - fish LC50 (mg / I / 96h): 2.67

Acute toxicity - crustaceans (Daphnia magna) EC50 (mg / I / 48h): 3.1

Acute algae toxicity - ErC50 (mg / I / 72h): 0.66 Chronic toxicity - fish NOEC (mg / I / 302d): 0.42

Chronic toxicity - crustaceans (Daphnia magna) NOEC (mg / I / 21d): 0.7

Chronic toxicity - algae NOEC (mg / I / 28d): 0.067

C(E)L50 (mg/l) = 0,66NOEC (mg/l) = 0,067

N,N-Dimethyltetradecylamine N-Oxide:

RAINBOW TROUT (Oncorhynchus mykiss) 96H LC50 0.1-1.0 mg / I

Use according to good working practices and avoid to disperse the product into the environment.

#### 12.2. Persistence and degradability

Related to contained substances: Orthophosphoric acid:

Not readily biodegradable

Amines, C12-14 alkyldimethyl, N-oxides:

Easily biodegradable

N,N-Dimethyltetradecylamine N-Oxide:

Biodegradable



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

# 13 / 16

In conformity to Regulation (EU) 2020/878

#### 12.3. Bioaccumulative potential

============

Related to contained substances: Orthophosphoric acid: Not bioaccumulative

Amines, C12-14 alkyldimethyl, N-oxides: log Pow: <2.7

N,N-Dimethyltetradecylamine N-Oxide: Not available

#### 12.4. Mobility in soil

Related to contained substances: Orthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Easily absorbed into the soil.

N,N-Dimethyltetradecylamine N-Oxide: Easily absorbed by the soil

#### 12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

#### 12.6. Endocrine disrupting properties

No data available.

#### 12.7. Other adverse effects

No adverse effects

Regulation (EC) No 2006/907 - 2004/648

The (I) surfactant (s) content (s) in this preparation complies (comply) with (i) the biodegradability criteria as laid down in Regulation CE/648/2004 on detergents. All data are held at the disposal of the competent authorities of Member States and will be provided, at their direct request or at the request of a detergent manufacturer, to those authorities.

#### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations



#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

# 14 / 16

In conformity to Regulation (EU) 2020/878

#### **SECTION 14. Transport information**

#### 14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3264

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 1 L per package 30 Kg

Inner packaging placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 1 L per package 20 Kg



ADR/RID/IMDG: LIQUIDO INORGANICO CORROSIVO, ACIDO, N.A.S. (Acido ortofosforico in miscela) ADR/RID/IMDG: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Orthophosphoric acid in mixture) ICAO-IATA: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Orthophosphoric acid in mixture)

#### 14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class: 8 ADR/RID/IMDG/ICAO-IATA: Label: 8 ADR: Tunnel restriction code: E

ADR/RID/IMDG/ICAO-IATA: Limited quantities: 1 L

IMDG - EmS: F-A, S-B

#### 14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: II

#### 14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent: No

#### 14.6. Special precautions for user

The transport must be carried out by authorized vehicles for the transport of dangerous goods in accordance with the requirements of the applicable Edition of the agreement A.D.R. and national provisions. The transport must be carried out in the original packaging and in packages that are made from materials resistant to content and not likely to generate with this dangerous reactions. The process of loading and unloading of dangerous goods have received adequate training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

#### 14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk is not foreseen

#### **SECTION 15. Regulatory information**

Geowin SDS rel. 10

8

# AEB IMPROVEMENT THROUGH BIOTECHNOLOGY

#### SAFETY DATA SHEET

#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

# 15 / 16

In conformity to Regulation (EU) 2020/878

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC in a proportion  $\geq$  0.1%. Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC in a proportion  $\geq$  0.1%.

Reg. EC 648/04: see 2.2 Reg. (EU) n. 1169/2011: see 2.2 Reg (UE) 528/2012: see.to 2.2

REGULATION (EU) No 1357/2014 - waste: HP8 - Corrosive

#### 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

#### **SECTION 16. Other information**

#### 16.1. Other information

Points modified compared to previous release: 3 Information on ingredients 4.1. Description of first aid measures, 4.3. Indication of any immediate medical attention and special treatment needed, 7.1. Precautions for safe handling, 7.3. Specific end use(s), 8.1. Control parameters, 8.2. Exposure controls, 10.2. Chemical stability, 10.3. Possibility of hazardous reactions, 10.4. Conditions to avoid, 10.5. Incompatible materials, 10.6. Hazardous decomposition products, 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 12.1. Toxicity, 12.4. Mobility in soil, 12.6. Endocrine disrupting properties, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of hazard statements set out in paragraph 3

H290 = May be corrosive to metals.

H314 = Causes severe skin burns and eye damage.

H318 = Causes serious eye damage.

H302 = Harmful if swallowed.

H315 = Causes skin irritation.

H400 = Very toxic to aquatic life.

H411 = Toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

#### Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008):

Physical hazards: On the basis of experimental data

H314 Skin. Corr. 1B: On the basis of experimental data / Calculation Method

Other hazards: Calculation Method

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable n.d.: not available

#### **CELOFOAM**

Issued on 10/29/2021 - Rel. # 8 on 10/29/2021

# 16 / 16

In conformity to Regulation (EU) 2020/878

ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimat BFC: BioconCentration Factor **BOD: Biochemical Oxigen Demand** CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified

Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50 COD: Chemical Oxygen Demand DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

**ERC:** Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient NOEC: No Observed Effect Concentration OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations

concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

#### References and Sources:

- ECHA Registered Substances:
- https://echa.europa.eu/web/quest/information-on-chemicals/registered-substances
- GESTIS DNEL Database: http://www.dquv.de/ifa/qestis/gestis-dnel-datenbank/index-2.jsp
- GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

\*\*\* this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: issued in according with Reg. (UE) 878/20

#### **SUMI**

#### **Safe Use of Mixtures Information**





## AISE\_SUMI\_IS\_7\_4\_G

Version 1.1, August 2018

#### Industrial spraying; Automated task; Open system; Long term

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

#### General description of the process covered

The SUMI applies to industrial spraying products. This Safe Use Information is based on the AISE\_SWED\_IS\_7\_4.

#### **Operational Conditions**

Maximum duration	480 minutes per day.
Range of application /	Indoor Use.
<b>Process conditions</b>	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

#### **Risk Management Measures**

Measures related to	Wear suitable gloves and eye protection.
personal protective equipment (PPE),	See section 8 of the SDS of this product for specifications.
hygiene and health evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Rel#8 102921 CELOFOAM

#### Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

#### Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

#### **Disclaimer**

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

#### **SUMI**

#### **Safe Use of Mixtures Information**





## AISE\_SUMI\_IS\_8b\_1

Version 1.1, August 2018

#### Transfer and dilution of concentrated product by using dedicated dosing system

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

#### General description of the process covered

This SUMI applies to industrial uses where products are transferred to or diluted in a dedicated dosing system. This Safe Use Information is based on the AISE\_SWED\_IS\_8b\_1\_L and AISE\_SWED\_IS\_8b\_1\_S

#### **Operational Conditions**

Maximum duration	60 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

#### **Risk Management Measures**

Measures related to	Wear suitable gloves.
personal protective equipment (PPE), hygiene and health	See section 8 of the SDS of this product for specifications.
evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Rel#8 102921 CELOFOAM

#### Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

#### Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

#### **Disclaimer**

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

#### **SUMI**

#### **Safe Use of Mixtures Information**





## AISE\_SUMI\_PW\_8a\_1\_G

Version 1.1, August 2018

### Transfer of product to a container (bottle/bucket/machine)

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

#### General description of the process covered

This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle or bucket. Safe Use Information is based on the AISE\_SWED\_PW\_8a\_1\_L and AISE\_SWED\_PW\_8a\_1\_S.

#### **Operational Conditions**

Maximum duration	60 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

#### **Risk Management Measures**

Measures related to	Wear suitable gloves and eye protection.
personal protective	See section 8 of the SDS of this product for specifications.
equipment (PPE),	
hygiene and health evaluation	
CValdation	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Rel#8 102921 CELOFOAM

#### Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

#### Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

#### **Disclaimer**

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

#### **SUMI**

#### **Safe Use of Mixtures Information**





## AISE\_SUMI\_PW\_11\_3\_G

Version 1.1, August 2018

#### Professional uses; Spraying

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

#### General description of the process covered

This SUMI applies to professional uses of products in a spraying application. This Safe Use Information is based on the AISE\_SWED\_PW\_11\_3.

#### **Operational Conditions**

Maximum duration	480 minutes per day.	
Range of application /	Indoor Use.	
<b>Process conditions</b>	Process carried out at room temperature.	
	In case of dilution, tap water at a maximum temperature of 45°C is used.	
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per	
	hour). No LEV required.	

### **Risk Management Measures**

Measures related to	Wear suitable gloves and eye protection.
personal protective	See section 8 of the SDS of this product for specifications.
equipment (PPE),	
hygiene and health evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Rel#8 102921 CELOFOAM

#### Additional good practice advice

Don't eat or drink.  Don't smoke.  Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

#### Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

#### **Disclaimer**

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

## **WORKING ISTRUCTION TABLE**



This tab provides instructions for appropriate and safe use of products and proper management of emergency situations for cleaning staff/users.

#### Attached to MSDS rel#8 del 10/29/21

Use description  Product name	Industrial spraying[PROC7], Transfer of substance or preparation (charging/discharging) from/to ves- sels/large containers at non-dedicated facilities[PROC8A], Transfer of substance or preparation (charging/discharging) from/to ves- sels/large containers at dedicated facilities[PROC8B], Non industrial spraying[PROC11] CELOFOAM
Classification of the product (100%)	H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.
Classification of the diluted product (maximum use concentration)	At maximux concentration of use (6%) the product is classified: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.
Handling of the product (100%)	Avoid contact and inhalation of vapors  Wear protective gloves/protective clothing/eye protection/face protection.  At work do not eat or drink.
Handling of the diluted product	Avoid contact and inhalation of vapors Wear protective gloves/protective clothing/eye protection/face protection. At work do not eat or drink.
DPI required concentrated product (racking, concentrated use, spillage)	Chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3), safety glasses (EN 166).
Diluited product	Chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3), safety glasses (EN 166).

In case of emergency (accidents involving exposure to the product)	Immediately inform the customer. Immediately inform the employer. Contact Poisons Centres tel. number in 1.4 section of the MSDS
Accidental release large quantities measures: concentrated product	Wear gloves, mask and protective clothing (for specifications refer to section 8.2. SDS) Possibly absorb it with inert materia or sucked it.  After wiping up, wash with water the area and materials involved
Diluited product	Wear gloves and protective clothing. Wash with water the area and materials involved
Storage of the product	Keep in original container closed tightly. Do not store in open or unlabelled containers.  Keep containers upright and safe by avoiding the possibility of falls or collisions.  Store in a cool and dry place, away from heat sources and direct exposure to sunlight.
In case of accidents, emergency or fire	Immediately inform the customer. Follow company emergency instruction.