



PAV

.....

Low alkalinity solvent detergent

.....

→ DESCRIPTION

Pav is a low alkalinity, liquid, solvent detergent, non-foaming, degreasing, suitable for treatments of industrial cleaning (food, mechanical, nautical sector).

Pav is able to easily remove residues of fat, mineral oil, grease, rubber, black spots of forklift trucks and mixed sludge from the treated surfaces, thanks to the presence of the solvent components.

Pav can be used on all types of washable surfaces and, as it is non-foaming, it is particularly suitable for the floor cleaning with washer-dryer machines.

→ TECHNICAL CHARACTERISTICS

Physical appearance: clear, yellow liquid

pH (1% solution): $10,5 \pm 0,5$

Relative density at 20°C: $1,07 \pm 0,05$

Phosphor content (P): absent

The above indicated chemical-physical data represent the typical product's characteristics drawn from the analysis carried out on the product. These values are not a specification.

→ INSTRUCTIONS FOR USE*

Use **Pav** at variable concentrations between 3 and 10%, according to the type and degree of contamination and the frequency of intervention. Final rinsing with drinking water until the complete elimination of any possible residue of detergent.

→ FIELDS OF APPLICATION

Detergency of floors, corridors, cells and goods handling areas (warehouses and loading/unloading areas). Washing of bottle transport lines.

→ COMPATIBILITY OF THE FORMULATION

Pav is compatible with most material normally present in food industries, if used according to the producer's indications. Avoid contact with light alloys. In case of doubt, carry out a test on the single material before using the product.





PAV

→ PRECAUTIONS FOR HANDLING AND STORAGE

Store in the original packaging away from extreme temperatures and direct light. Consult the Material Safety Data Sheet.

→ TITRATION METHOD

Available only on demand.

→ PACKAGING

25 kg net drums.
1.000 kg net IBC-container.

*The indications have been established for general use conditions. For conditions differing from the norm, for example depending on the particular water hardness, the working method or cleaning problems, please consult us; our technical service will be pleased to advise you and to cooperate with you.

