

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#1/14

In conformity to Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name: MIX ACID TLM

Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Specific Treatment Sectors of use: Manufacture of food products[SU4] Product category: Additive for enological use

Not recommended uses Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy

Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA 111 N Cluff Avenue Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD 18 Track Crescent, Cor. Station Road Montague Gardens 7441 Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD 178A Wakaden Street Griffith NSW 2680

T: 1300 704 971

Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by **AEB SpA** Via Vittorio Arici 104 S. Polo 25134 Brescia

1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)



MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#2/14

In conformity to Regulation (EU) 2020/878

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05

Hazard Class and Category Code(s):

Skin Corr. 1C, Eye Dam. 1

Hazard statement Code(s):

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

Corrosive product: causes severe skin burns and eye damage.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS05 - Danger

Hazard statement Code(s):

H314 - Causes severe skin burns and eye damage.

Supplemental Hazard statement Code(s):

EUH071 - Corrosive to the respiratory tract.

Precautionary statements:

Prevention

P260 - Do not breathe vapours/spray.

P280 - Wear protective gloves/clothing and eye/face protection.

Response

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains:

T.

SAFETY DATA SHEET

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#3/14

In conformity to Regulation (EU) 2020/878

L-(+)-tartaric acid, L-Malic acid, L-Lactic acid

Information concerning the components: L(+) tartaric acid 14,4%, L-malic acid 14,3%, lactic acid 10,2%, water q.s. to 100

Food use, oenological use. Not intended for the final consumer. In accordance with current regulations on the specific matter.

Only for industrial use.

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

The use of this chemical agent implies the obligation of the "risk assessment" by the employer according to the provisions of Legislative Decree April 9, 2008 no. 81 and subsequent amendments. If the results of the risk assessment demonstrate that, in relation to the type, quantity, methods and frequency of exposure, there is only a low risk for the safety and irrelevant for the health of the workers and that the measures referred to in paragraph 1 of Legislative Decree April 9, 2008 no. 81 are sufficient to reduce the risk, the provisions of articles 225, 226, 229, 230 of the same Legislative Decree do not apply

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACh
L-(+)-tartaric acid	>= 10 < 25%	Eye Dam. 1, H318		87-69-4	201-766-0	01-2119537 204-47-xxxx
L-Malic acid	>= 10 < 25%	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		97-67-6	202-601-5	
L-lactic acid	>= 10 < 25%	EUH071; Skin Corr. 1C, H314; Eye Dam. 1, H318	607-743-00-5	79-33-4	201-196-2	01-2119474 164-39-XXX X

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take off immediately contaminated clothing.

In case of contact with skin, wash immediately with watrer.

Immediately consult a physician.

Direct contact with eyes (of the pure product).:

SAFETY DATA SHEET

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#4/14

In conformity to Regulation (EU) 2020/878

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Rinse mouth immediately.

Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER or a doctor.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas.

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Privide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#5/14

In conformity to Regulation (EU) 2020/878

6.2. Environmental precautions

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities. Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS) Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert materia or sucked it. Prevent it from entering the sewer system.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

Wear protective gloves/clothing and eye/face protection.

Handle the product after consulting all other sections of this safety data sheet.

At work do not eat or drink.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Manufacture of food products:

Handle with care.

Store in a clean, dry, ventilated area away from heat and direct sunlight.

Keep container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

L-(+)-tartaric acid:

Limit value - Eight hours

SAFETY DATA SHEET

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#6/14

In conformity to Regulation (EU) 2020/878

(ppm)/(mg/m³)

Germany (AGS): x/2(1) Germany (DFG): x/2(1) Switzerland: x/2(1)

Limit value - Short term (ppm)/(mg/m³)

Germany (AGS): x/4(1)(2) Germany (DFG): x/4(1)(2) Switzerland: x/4(1)(2)

Remarks

Germany (AGS): (1) Inhalable fraction (2) 15 minutes average value Germany (DFG): 1) Inhalable fraction (2) 15 minutes average value Switzerland: 1) Inhalable fraction (2) 15 minutes average value

- Substance: L-(+)-tartaric acid

DNEL

Systemic effects Long term Workers inhalation = 5,2 (mg/m3) Systemic effects Long term Workers dermal = 2,9 (mg/kg bw/day) Systemic effects Long term Consumers inhalation = 1,3 (mg/m3) Systemic effects Long term Consumers dermal = 1,5 (mg/kg bw/day) Systemic effects Long term Consumers oral = 8,1 (mg/kg bw/day)

8.2. Exposure controls







Appropriate engineering controls:

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

- (b) Skin protection
- (i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product, wear full protective clothing (generic workwear / antacid, safety shoes S3-EN ISO 20345) or other protective equipment, according to the instructions of the employer

(c) Respiratory protection

During manual operations in case of insufficient ventilation, use mask with filters for gases and vapors Organic - Brown, class 3, A or AX (UNI EN 405) unless otherwise specified by the employer and/or by assessments of environmental hygiene investigations

(d) Thermal hazards No hazard to report



MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#7/14

In conformity to Regulation (EU) 2020/878

Environmental exposure controls:

Related to contained substances:

L-Malic acid:

Personal protective equipment

General protective and hygienic measures

When using do not eat, drink or smoke.

Hand protection: Use protective gloves.

Eye Protection: Use safety glasses snug.

Additional information about design of technical systems

The workplace must be adequately ventilated. Where possible, install sources of local exhaust ventilation and good general extraction bulk material. If these measures are not sufficient to maintain concentrations of particulates and solvent vapors below the exposure limit, you will need to make use of appropriate respiratory protection.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties Value		Determination method	
Physical state	Clear liquid		
Colour	Colorless		
Odour	not determined as considered not relevant for the characterization of the product		
Odour threshold	not determined as considered not relevant for the characterization of the product		
Melting point/freezing point	not determined as considered not relevant for the characterization of the product		
Boiling point or initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product		
Flammability	not determined as considered not relevant for the characterization of the product		
Lower and upper explosion limit	not determined as considered not relevant for the characterization of the product		
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product		
Decomposition temperature	not determined as considered not relevant for the characterization of the product		
рН	<2 (t.q.)		
Kinematic viscosity	not determined as considered not relevant for the characterization of the product		
Solubility	in water		
Water solubility	miscible in all proportions		
Partition coefficient n-octanol/water (log value)	not determined as considered not relevant for the characterization of the product		
Vapour pressure	not determined as considered not relevant for the characterization of the product		
Density and/or relative density	1,15 ± 0,05 (20°C)		



MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#8/14

In conformity to Regulation (EU) 2020/878

Physical and chemical properties	Value	Determination method
, ,	not determined as considered not relevant for the characterization of the product	
	not determined as considered not relevant for the characterization of the product	

9.2. Other information

9.2.1 Information with regard to physical hazard classes

No data available.

9.2.2 Other safety characteristics

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Acid

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Related to contained substances:

L-(+)-tartaric acid: None

L-Malic acid:

Avoid exposing the product to high temperatures. Avoid moisture.

10.5. Incompatible materials

Strong bases, oxidizing and reducing agents, alkali metals.

SAFETY DATA SHEET

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

#9/14

In conformity to Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) acute toxicity: L-(+)-tartaric acid: Ingestion - LD50 rat (mg / kg / 24h bw):> 2000

Skin contact - LC50 rat / rabbit (mg / kg / 24h bw):> 2000

Inhalation - LD50 rat (mg / I / 4h): nd

L-Malic acid: Ingestion - LD50 rat (mg / kg / 24h bw): not available Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): not available

Inhalation - LD50 rat (mg / I / 4h): not available

L-lactic acid: Ingestion-rat LD50 (mg/kg/24h bw): 3543 Skin contact-LC50 rat/coniglio (mg/kg/bw 24h bw): > 2000

Inhalation-rat LD50 (mg/l/4h): > 7.94

(b) skincorrosion/irritation: Corrosive product: causes severe skin burns and eye damage.

L-(+)-tartaric acid: Not corrosive

L-lactic acid: Corrosive

L-(+)-tartaric acid: Not Irritant in vivo test OECD 404: acute skin irritation / corrosion. The study can be classified as klimisch code 1: unrestricted reliability. The results showed that no toxic effects were found and two other in vitro studies also support this finding. Hence the irritative effect of tartaric acid can be concluded as non-irritating.

L-lactic acid: OECD 404, in vivo, solution Rabbits (88%) Result: irritant

(c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage. - If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

L-(+)-tartaric acid: Corrosive in vitro test OECD 437: This study is considered a key study as it can be classified as Klimisch code 1: unrestricted reliability. Therefore the test result showed that tartaric acid is highly irritating.

L-lactic acid: Causes serious eye damage

L-(+)-tartaric acid: Irritant in vitro test OECD 437: This study is considered a key study as it can be classified as Klimisch Code 1: Unrestricted Reliability Therefore the test result showed that tartaric acid is highly irritating.

L-lactic acid: CEET, Ex vivo, solution (88%) Result: severe eye irritation

(d) respiratoryorskinsensitisation: L-(+)-tartaric acid: Not sensitizing

L-lactic acid: Non-sensitizing

(e) germ cell mutagenicity: L-(+)-tartaric acid: Not mutagenic

L-lactic acid: Non-mutagenic

(f) carcinogenicity: L-(+)-tartaric acid: Not available

L-lactic acid: Non-carcinogenic

(g) eproductivetoxicity: L-(+)-tartaric acid: Non toxic

L-lactic acid: Non-toxic for reproduction

(h) specific target organ toxicity (STOT) single exposure: L-(+)-tartaric acid: Non toxic

L-lactic acid: Not available

(i) specific target organ toxicity (STOT) repeated exposureL-(+)-tartaric acid: Non toxic

L-lactic acid: Not available

(j) aspiration hazard: L-(+)-tartaric acid: Non toxic

L-lactic acid: Not available

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

SAFETY DATA SHEET

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

10 / 14

In conformity to Regulation (EU) 2020/878

L-(+)-tartaric acid:

Acute toxicity - fish LC50 (mg/l/96h): >100

Acute toxicity - crustaceans EC50 (mg/l/48h): 93.3

Acute toxicity algae ErC50 (mg/l/72-96h): 51.4

Chronic toxicity - fish NOEC (mg/l): na

Chronic toxicity - crustaceans NOEC (mg/l): na

Chronic algae NOEC (mg/l): 3.125

L-Malic acid:

Acute toxicity - fish LC50 (mg / I / 96h): not available

Acute toxicity - crustaceans EC50 (mg / I / 48h): not available

Acute toxicity algae ErC50 (mg / I / 72-96h): not available

Chronic toxicity - fish NOEC (mg / I): not available

Chronic toxicity - shellfish NOEC (mg / I): not available

Chronic toxicity algae NOEC (mg / I): not available

L-lactic acid:

Acute toxicity - fish (Lepomis macrochirus) LC50 (mg / I / 96h): 130

Acute toxicity - crustaceans (Daphnia magna) EC50 (mg / I / 48h): 130

Acute toxicity algae ErC50 (Pseudokirchnerella subcapitata) (mg / I / 72): ~ 3500

Chronic toxicity algae NOEC (Pseudokirchnerella subcapitata) (mg / I / 72): 1900

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Related to contained substances:

L-(+)-tartaric acid: rapidly biodegradable

L-Malic acid:

Unavailable

L-lactic acid:

Easily biodegradable (100%)

12.3. Bioaccumulative potential

Related to contained substances:

L-(+)-tartaric acid:

Tartaric acid is an organic acid naturally present in numerous plants and particularly in grapes, abundant both in its free form and in the form of salt. No bioaccumulation data are available on relevant aquatic species. However, with a measured octanol/water partition coefficient value logKow < 3, the substance is not expected to bioaccumulate.

L-Malic acid:

Not bioaccumulative

L-lactic acid:

Non bioaccumulative Log Pow: -0.72 - -0.54 (20 ° C)

12.4. Mobility in soil

Related to contained substances:

SAFETY DATA SHEET

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

11 / 14

In conformity to Regulation (EU) 2020/878

L-(+)-tartaric acid:

Not determined as rapidly biodegradable

L-Malic acid: Unavailable

L-lactic acid: Weak adsorption

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3265



If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packaging placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: LIQUIDO ORGANICO CORROSIVO, ACIDO, N.A.S. (Acido tartarico, Acido malico e Acido lattico in miscela)

ADR/RID/IMDG: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Tartaric acid, Malic acid and Lactic acid in mixture) ICAO-IATA: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Tartaric acid, Malic acid and Lactic acid in mixture)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class: 8 ADR/RID/IMDG/ICAO-IATA: Label: 8 ADR: Tunnel restriction code: E

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

SAFETY DATA SHEET

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

12 / 14

In conformity to Regulation (EU) 2020/878

IMDG - EmS: F-A, S-B

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent: No

14.6. Special precautions for user

The transport must be carried out by authorized vehicles for the transport of dangerous goods in accordance with the requirements of the applicable Edition of the agreement A.D.R. and national provisions. The transport must be carried out in the original packaging and in packages that are made from materials resistant to content and not likely to generate with this dangerous reactions. The process of loading and unloading of dangerous goods have received adequate training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or the substances contained (Annex XVII EC Reg. 1907/2006): not applicable Substances in Candidate list (art. 59 EC Reg. 1907/2006): the product does not contain SVHC in percentage = a 0.1 %.

Regulation (EU) 1169/2011: see point 2.2

Regulation (EU) 1308/2013; see point 2.2

Regulation (EC) 1333/2008; see point 2.2

REGULATION (EU) No 1357/2014 - waste:

HP8 - Corrosive

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 2.1. Classification of the substance or mixture, 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Description of hazard statements set out in paragraph 3

H318 = Causes serious eye damage.

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H335 = May cause respiratory irritation.

H314 = Causes severe skin burns and eye damage.

MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

13 / 14

In conformity to Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H314 - Causes severe skin burns and eye damage. Classification procedure: Calculation method

H318 - Causes serious eye damage. Classification procedure: Calculation method

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable n.d.: not available

ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimat BFC: BioconCentration Factor **BOD: Biochemical Oxigen Demand** CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified

Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50 COD: Chemical Oxvgen Demand DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure

STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:

https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances



MIX ACID TLM

Issued on 10/17/2023 - Rel. # 10 on 10/17/2023

14 / 14

In conformity to Regulation (EU) 2020/878

- SDS raw material supplier
- GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

This msds was made in good faith by technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: variaiton on classification.