

PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

#1/11

In conformity to Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : PROTAN Pépin Oxilink Product code: refer to sales department Chemical Name: GRAPE SEED TANNIN CAS: 85594-37-2 - EC No: 287-896-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Tannins Sectors of use: Manufacture of food products[SU4] Product category: Process aid for enological use

Not recommended uses Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy Tel. +39.030.2307.1 Fax +39.030.2307281 E-mail: info@aeb-group.com - Internet: www.aeb-group.com E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA 111 N Cluff Avenue Lodi CA 95240 (USA) Tel: +1 2096258139 Fax: +1 2092248953 Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD 18 Track Crescent, Cor. Station Road Montague Gardens 7441 Cape Town (South Africa) Tel.: +27 215512700 - Fax: +27 (0) 215511919 Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD 178A Wakaden Street Griffith NSW 2680 T: 1300 704 971 Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by AEB SpA Via Vittorio Arici 104 S. Polo 25134 Brescia

1.4. Emergency telephone number

AEB SpA Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

In conformity to Regulation (EU) 2020/878

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

CAS 85594-37-2 EINECS 287-896-9

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms: GHS09

Hazard Class and Category Code(s): Aquatic Chronic 2

Hazard statement Code(s): H411 - Toxic to aquatic life with long lasting effects.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s): GHS09 Hazard statement Code(s): H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s): not applicable

Precautionary statements: Prevention P273 - Avoid release to the environment. Response P391 - Collect spillage. Disposal P501 - Dispose of contents/container to local/regional/national/international regulations

Contains:

Ingredients: proanthocyanidin tannin. Food, oenological use. Not intended for the final consumer. In accordance with current regulations on the specific matters. Only for ndustrial use.

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006,

#2/11



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

In conformity to Regulation (EU) 2020/878

annex XIII

Do not ingest. Keep out of reach of children.

Not rapidly biodegradable

Not applicable

SECTION 3. Composition/information on ingredients

3.1 Substances

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACh
GRAPE SEED TANNIN	100%	Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1		85594-37-2	287-896-9	

3.2 Mixtures

Irrilevant

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).: Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product).: Wash immediately and thorougly with running water for at least 10 minutes.

Ingestion:

Not dangerous. In case of malaise consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. Firefighting measures

Geowin SDS rel. 11



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

In conformity to Regulation (EU) 2020/878

5.1. Extinguishing media

Suggested extinguishing media: Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid: Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus Safety helmet and full protective clothing. The water spray can be used to protect the people involved in the extinction. You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas. Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel: Leave the area surrounding the spill or release. Do not smoke Wear gloves and protective clothing

6.1.2 For emergency responders:Eliminate all unguarded flames and possible sources of ignition. No smoking.Privide a sufficient ventilation.Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills Inform the competent authorities. Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment: Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up: To clean the floor and all objects contaminated by this material use water. After wiping up, wash with water the area and materials involved

6.3.3 Other information: None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

#4/11



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

In conformity to Regulation (EU) 2020/878

7.1. Precautions for safe handling

At work do not eat or drink. See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Manufacture of food products: Handle with care. Store in a clean, dry, ventilated area away from heat and direct sunlight. Keep container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

No data available.

8.2. Exposure controls

Appropriate engineering controls: Manufacture of food products: No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(b) Skin protection

(i) Hand protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(ii) Other Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(d) Thermal hazards No hazard to report

Environmental exposure controls: Use according to good working practices and avoid to disperse the product into the environment.

SECTION 9. Physical and chemical properties



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

In conformity to Regulation (EU) 2020/878

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method	
Physical state	fine powder		
Colour	Reddish brown		
Odour	characteristic		
Odour threshold	not determined as it is considered not relevant for the characterization of the product		
Melting point/freezing point	not determined as it is considered not relevant for the characterization of the product		
Boiling point or initial boiling point and boiling range	not determined as it is considered not relevant for the characterization of the product		
Flammability	not determined as it is considered not relevant for the characterization of the product		
Lower and upper explosion limit	not determined as it is considered not relevant for the characterization of the product		
Flash point	not determined as it is considered not relevant for the characterization of the product	ASTM D92	
Auto-ignition temperature	not determined as it is considered not relevant for the characterization of the product		
Decomposition temperature	not determined as it is considered not relevant for the characterization of the product		
рН	5,0 ± 0,5 (20°C; sol. 5%)		
Kinematic viscosity	not determined as it is considered not relevant for the characterization of the product		
Solubility	insoluble		
Water solubility	not determined as it is considered not relevant for the characterization of the product		
Partition coefficient n-octanol/water (log value)	not determined as it is considered not relevant for the characterization of the product		
Vapour pressure	not determined as it is considered not relevant for the characterization of the product		
Density and/or relative density	0,4 - 0,5 (20°C)		
Relative vapour density	not determined as it is considered not relevant for the characterization of the product		
Particle characteristics	not determined as considered not relevant for the characterization of the product		

9.2. Other information

9.2.1 Information with regard to physical hazard classes

No data available.

9.2.2 Other safety characteristics

No data available.



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

#7/11

In conformity to Regulation (EU) 2020/878

SECTION 10. Stability and reactivity

10.1. Reactivity

Related to contained substances: GRAPE SEED TANNIN: Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Related to contained substances: GRAPE SEED TANNIN: Stable under normal conditions

10.5. Incompatible materials

None in particular

10.6. Hazardous decomposition products

None

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) acute toxicity: GRAPE SEED TANNIN: Ingestion - LD50 rat (mg / kg / 24h bw):> 5000 Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): not available Inhalation - LD50 rat (mg / I / 4h): not available

(b) skincorrosion/irritation: GRAPE SEED TANNIN: Non-corrosive

GRAPE SEED TANNIN: Non-irritating

(c) serious eye damage/irritation: GRAPE SEED TANNIN: Non-corrosive

GRAPE SEED TANNIN: Non-irritating

(d) respiratoryorskinsensitisation: GRAPE SEED TANNIN: Non-sensitizing

(e) germ cell mutagenicity: GRAPE SEED TANNIN: Non-mutagenic

(f) carcinogenicity: GRAPE SEED TANNIN: Non-carcinogenic

(g) eproductivetoxicity: GRAPE SEED TANNIN: Non-toxic for reproduction

(h) specific target organ toxicity (STOT) single exposure: GRAPE SEED TANNIN: Non-toxic

(i) specific target organ toxicity (STOT) repeated exposureGRAPE SEED TANNIN: Non-toxic

(j) aspiration hazard: GRAPE SEED TANNIN: Not dangerous in case of aspiration

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

8 / 11

In conformity to Regulation (EU) 2020/878

leading to digestive symptoms and abnormal bowel disorders. Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

PROTAN Pépin Oxilink: C(E)L50 (mg/l) = 1,2

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Not rapidly biodegradable

12.3. Bioaccumulative potential

Not applicable

12.4. Mobility in soil

Not applicable

12.5. Results of PBT and vPvB assessment

Not classified as PBT and vPvB

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

In conformity to Regulation (EU) 2020/878

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3077

If subject to the following characteristics is ADR exempt: Combination packagings: per inner packaging 5 kg per package 30 Kg Inner packaging placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 kg per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, SOLIDA, N.A.S. (Estratto di semi d'uva) ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Grape seed tannin) ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Grape seed tannin)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9 ADR/RID/IMDG/ICAO-IATA: Label : 9 + ENVIRONMENTALLY HAZARDOUS ADR: Tunnel restriction code : --ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 kg IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

The transport must be carried out by authorized vehicles for the transport of dangerous goods in accordance with the requirements of the applicable Edition of the agreement A.D.R. and national provisions. The transport must be carried out in the original packaging and in packages that are made from materials resistant to content and not likely to generate with this dangerous reactions. The process of loading and unloading of dangerous goods have received adequate training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC in a proportion $\ge 0.1\%$. Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC in a proportion $\ge 0.1\%$. Reg. (EU) n. 1169/2011: see 2.2 Regulation (EU) 1332/2008; see p.2.2

Seveso category:





PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

In conformity to Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 2.1. Classification of the substance or mixture, 2.2. Label elements, 3.1 Substances, 8.2. Exposure controls, 14.1. UN number or ID number, 14.2. UN proper shipping name, 14.3. Transport hazard class(es), 14.4. Packing group, 14.5. Environmental hazards, 14.6. Special precautions for user

Description of hazard statements set out in paragraph 3 H411 = Toxic to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H411 - Toxic to aquatic life with long lasting effects. Classification procedure: Calculation method

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.
Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.
Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)
Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.
Regulation (EU) 1332/2008 (Food enzymes)

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimat

BFC: BioconCentration Factor

BOD: Biochemical Oxigen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand

- DNEL: Derived No Effect Level
- EC50: half maximal Effective Concentration
- ERC: Enviroment Release Classes
- EU/UE: European Union

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic



PROTAN Pépin Oxilink

Issued on 05/30/2022 - Rel. # 4 on 05/30/2022

11 / 11

In conformity to Regulation (EU) 2020/878

PC: Product Categories PNEC: Predicted No Effect Concentration PROC: Process Categories RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations concerning International rail transport of dangerous goods) STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure STP: Sewage Treatment Plants SU: Sector of Use SVCH: Substance of Very High Concern TLV: Threshold Limit Value vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:
- https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances
- SDS supplier
- GESTIS DNEL Database: http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp
- GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

This msds was made in good faith by technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: variation on classification.

Geowin SDS rel. 11