SAFETY DATA SHEET

AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#1/12

In conformity to Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name: AROMAX GAL

Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Stabilisers
Sectors of use:
Manufacture of food products[SU4]
Product category:
Additive for enological use

Not recommended uses

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy Tel. +39.030.2307.1 Fax +39.030.2307281 E-mail: info@aeb-group.com - Internet: www.aeb-group.com

E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA 111 N Cluff Avenue Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD 18 Track Crescent, Cor. Station Road Montague Gardens 7441 Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD 178A Wakaden Street Griffith NSW 2680 T: 1300 704 971

Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by AEB SpA Via Vittorio Arici 104 S. Polo 25134 Brescia

1.4. Emergency telephone number

AEB SpA

Geowin SDS rel. 10 - Use - Industrial



AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#2/12

In conformity to Regulation (EU) 2020/878

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05

Hazard Class and Category Code(s):

Eye Dam. 1

Hazard statement Code(s):

H318 - Causes serious eye damage.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS05 - Danger

Hazard statement Code(s):

H318 - Causes serious eye damage.

Supplemental Hazard statement Code(s):

EUH031 - Contact with acids liberates toxic gas (SO2)

Precautionary statements:

Prevention

P280 - Wear eye/face protection

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or a doctor.

Contains:

Potassium metabisulfite

Information concerning the components: potassium metabisulfite(a) 49,3% (20 g/hL bring about 56,8 mg/L SO2),





AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#3/12

In conformity to Regulation (EU) 2020/878

L-Ascorbic acid 35%, gall tannin.

Food use, oenological use. Not intended for the final consumer. In accordance with current regulations on the specific matter. Only for industrial use.

(a)=sufites

(<Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre expressed as SO2>in compliance with Regulation (EU) No 1169/2011 - Annex II and subsequent additions and modifications)

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

| Substance | Concentration[w/w] | Classification | Index | CAS | EINECS | REACh |
|-------------------------|------------------------|-----------------------------|-------|------------|--------|-------------------------------|
| Potassium metabisulfite | >= 25 < 50% | EUH031; Eye Dam. 1, H318 | | 16731-55-8 | | 01-2119537 422-45-XXX X |

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Indestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

SAFETY DATA SHEET

AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#4/12

In conformity to Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER or a doctor.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas. Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Privide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS) Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

Geowin SDS rel. 10 - Use - Industrial



AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#5/12

In conformity to Regulation (EU) 2020/878

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Wear eye/face protection At work do not eat or drink. See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Manufacture of food products:

Handle with care.

Store in a clean, dry, ventilated area away from heat and direct sunlight.

Keep container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

Potassium metabisulfite:

ACGIH - STEL: 0.25 ppm - Notes: (SO2) UE - TWA: 0.5 ppm - STEL: 1 ppm - Notes: (SO2)

Sulfur dioxide:

8h * = 1.3mg / m3, 0.5ppm

Short term ** = 2.7 mg / m3, 1ppm

- * Measured or calculated over a reference period of eight hours, as a weighted average
- ** Short term exposure level. Limit value above which the exposure should not occur and which refers to a period of 15 minutes, unless otherwise indicated.
- Substance: Potassium metabisulfite

DNEL

Systemic effects Long term Workers inhalation = 263 (mg/m3)

Local effects Long term Consumers oral = 10 (mg/kg bw/day)

Local effects Long term Consumers inhalation = 78 (mg/m3)

PNEC

Sweet water = 1,17 (mg/I)

Sea water = 0.12 (mg/I)

STP = 88,1 (mg/l)

8.2. Exposure controls





Appropriate engineering controls: Manufacture of food products:



AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#6/12

In conformity to Regulation (EU) 2020/878

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

- (b) Skin protection
 - (i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(d) Thermal hazards No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical and chemical properties | Value | Determination method |
|--|---|----------------------|
| Appearance | Powder | |
| Colour | beige | |
| Odour | not determined as considered not relevant for the characterization of the product | |
| Odour threshold | not determined as considered not relevant for the characterization of the product | |
| pH | not determined as considered not relevant for the characterization of the product | |
| Melting point/freezing point | not determined as considered not relevant for the characterization of the product | |
| Initial boiling point and boiling range | not determined as considered not relevant for the characterization of the product | |
| Flash point | not determined as considered not relevant for the characterization of the product | ASTM D92 |
| Evaporation rate | not determined as considered not relevant for the characterization of the product | |
| Flammability (solid, gas) | not determined as considered not relevant for the characterization of the product | |
| Upper/lower flammability or explosive limits | not determined as considered not relevant for the characterization of the product | |
| Vapour pressure | not determined as considered not relevant for the characterization of the product | |



AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#7/12

In conformity to Regulation (EU) 2020/878

| Physical and chemical properties | Value | Determination method |
|--|---|----------------------|
| Vapour density | not determined as considered not relevant for the characterization of the product | |
| Relative density | 0,75 ± 0,05 (20°C) | |
| Solubility | in water | |
| Water solubility | in all proportions | |
| Partition coefficient: n-octanol/water | not determined as considered not relevant for the characterization of the product | |
| Auto-ignition temperature | not determined as considered not relevant for the characterization of the product | |
| Decomposition temperature | not determined as considered not relevant for the characterization of the product | |
| Viscosity | not determined as considered not relevant for the characterization of the product | |
| Explosive properties | not determined as considered not relevant for the characterization of the product | |
| Oxidising properties | not determined as considered not relevant for the characterization of the product | |

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

Acids, oxidants, NaNO2, NaNO3

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SAFETY DATA SHEET

AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#8/12

In conformity to Regulation (EU) 2020/878

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = ∞ ATE(mix) dermal = ∞ ATE(mix) inhal = ∞

(a) acute toxicity: Potassium metabisulfite: Ingestion-rat LD50 (mg/kg/bw 24h): > 2000

Skin contact-LC50 rat/coniglio (mg/kg/bw 24h): > 2000

Inhalation-rat LD50 (mg/l/4h): > 5.5

(b) skin corrosion/irritationPotassium metabisulfite: Non-corrosive

Potassium metabisulfite: Non-irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Potassium metabisulfite: Corrosive
Potassium metabisulfite: Irritating

- (d) respiratory or skin sensitization: Potassium metabisulfite: non-sensitizing
- (e) germ cell mutagenicity: Potassium metabisulfite: non-mutagenic
- (f) carcinogenicity: Potassium metabisulfite: non-carcinogenic
- (g) reproductive toxicity: Potassium metabisulfite: non-toxic for reproduction
- (h) specific target organ toxicity (STOT) single exposure: Potassium metabisulfite: not available
- (i) specific target organ toxicity (STOT) repeated exposurePotassium metabisulfite: not available
- (j) aspiration hazard: Potassium metabisulfite: not available

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

Potassium metabisulfite:

Acute toxicity-fish LC50 (mg/l/83d): 464-1000

Acute toxicity-crustacea EC50 (mg/l/48 h): 89

Acute algae toxicity ErC50 (mg/l/72-69): 43.8

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Related to contained substances:

Potassium metabisulfite:

not available

12.3. Bioaccumulative potential



AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

#9/12

In conformity to Regulation (EU) 2020/878

Related to contained substances: Potassium metabisulfite: not available

12.4. Mobility in soil

Related to contained substances: Potassium metabisulfite: not available

12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

SAFETY DATA SHEET

AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

10 / 12

In conformity to Regulation (EU) 2020/878

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC

Reg. EC 648/04: see 2.2 Reg. (EU) n. 1169/2011: see 2.2 Reg (UE) 528/2012: see.to 2.2

REGULATION (EU) No 1357/2014 - waste:

HP4 - Irritant — skin irritation and eye damage

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release:1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.1. Classification of the substance or mixture, 2.2. Label elements, 8.2. Exposure controls

Description of hazard statements set out in paragraph 3 H318 = Causes serious eye damage.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008): metodo di calcolo.



AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

11 / 12

In conformity to Regulation (EU) 2020/878

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable n.d.: not available

ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimat
BFC: BioconCentration Factor
BOD: Biochemical Oxigen Demand
CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified

Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50 COD: Chemical Oxygen Demand DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient NOEC: No Observed Effect Concentration OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure

STP: Sewage Treatment Plants SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Verv Persistent Verv Bioaccumulative

References and Sources:

- ECHA Registered Substances:
- https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances
- SDS supplier
- GESTIS DNEL Database: http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp
- GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)



AROMAX GAL

Issued on 04/26/2021 - Rel. # 8 on 04/26/2021

12 / 12

In conformity to Regulation (EU) 2020/878

Changes to the previous edition: labeling variation.

Geowin SDS rel. 10 - Use - Industrial