

ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

#1/14

According to Regulation (EC) N.1907/2006

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : ENDOZYM Glucacel UHT Product code: refer to sales department UFI code: FC11-6S5M-910U-VTYP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Enzymatic formulation used in brewing. Sectors of use: Manufacture of food products[SU4] Product category: Technological adjuvant

Not recommended uses Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB BRITAIN LTD - 5a Connaught Avenue, London, England, SW14 7RH -Tel: +442081332049 infoecommerce@aeb-group.com - www.aeb-group.com

1.4. Emergency telephone number

Emergency telephone number: 111

AEB BRITAIN LTD Tel: +442081332049



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

#2/14

According to Regulation (EC) N.1907/2006

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation GB CLP:

Pictograms:

GHS08

Hazard Class and Category Code(s): Resp. Sens. 1

Hazard statement Code(s): H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

The product, if inhaled, can cause sensitization.

2.2. Label elements

Labelling according to Regulation GB LP:

Pictogram, Signal Word Code(s):

GHS08 - Danger

Hazard statement Code(s):

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements: Prevention P261 - Avoid breathing vapours/spray. P284 - In case of inadequate ventilation wear respiratory protection. Response

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or a doctor.

Contains: Beta-glucanase, Xylanase





ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

According to Regulation (EC) N.1907/2006

Ingredients: glycerol, beta-glucanase, maltodextrin, potassium sorbate, sodium benzate, xylanase, sodium chloride, cellulase, water q.s. to 100.

Food use, brewery use. Not intended for the final consumer. In accordance with current regulations on the specific matter. Only for industrial use.

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation No. 1907/2006 (Reach) as amended, Annex XIII

SECTION 3. Composition/information on ingredients

3.1 Substances

Not relevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	IUB N°	CAS	EINECS	REACh/ UK Reach
Glycerol substance for which there are Community workplace exposure limits	>= 25 < 50%			56-81-5	200-289-5	**
Beta-glucanase	>= 3 < 5%	Resp. Sens. 1, H334	3.2.1.6	62213-14-3	263-462-4	**
Xylanase	>= 0,1 < 1%	Resp. Sens. 1, H334	3.2.1.8	9025-57-4	232-800-2	**

** Not applicable - Regulation No. 1907/2006 (Reach) as amended, Article 2(5).

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).: Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product) .:

Wash immediately and thorougly with running water for at least 10 minutes.

Ingestion:

Not dangerous. In case of malaise consult a doctor.



ENDOZYM Glucacel UHT

#4/14

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

According to Regulation (EC) N.1907/2006

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER or doctor / physician if you feel unwell.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas. Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel: Leave the area surrounding the spill or release. Do not smoke Wear gloves and protective clothing

6.1.2 For emergency responders:Eliminate all unguarded flames and possible sources of ignition. No smoking.Privide a sufficient ventilation.Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities.



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

According to Regulation (EC) N.1907/2006

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment: Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS) Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert materia or sucked it. Prevent it from entering the sewer system.

6.3.2 Cleaning up: After wiping up, wash with water the area and materials involved

6.3.3 Other information: None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors Handle the product after consulting all other sections of this safety data sheet. Do not eat or drink while handling. See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Store in the original sealed package, protected from light, in a cool, dry, odour-free place and at a temperature < 20°C. Do not freeze. Lot number (BN) and best before (EXP): see barcodes

7.3. Specific end use(s)

Manufacture of food products:

Handle with care.

Store in the original sealed package, protected from light, in a cool, dry, odour-free place and at a temperature < 20°C. Do not freeze. Lot number (BN) and best before (EXP): see barcodes

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances: Glycerol: Limit value - Eight hours Australia 10 (1) mg/m3 Belgium 10 mg/m3 Canada - Ontario 10 mg/m3 #5/14



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

#6/14

According to Regulation (EC) N.1907/2006

Canada - Quebec 10 mg/m3 Finland 20 mg/m3 France 10 mg/m3 Germany (AGS) 200 (1) mg/m3 Germany (DFG) 200 (1) mg/m3 Ireland 10 mg/m3 New Zealand 10 (1) mg/m3 Poland 10 mg/m3 Singapore 10 mg/m3 South Africa Mining 10 ppm South Korea 10 mg/m3 Spain 10 mg/m3 Switzerland 50 inhalable aerosols mg/m3 USA - OSHA 15 (1) mg/m3 5 (2) mg/m3 United Kingdom 10 mg/m3

Limit value - Short-term Germany (AGS) 400 (1)(2) mg/m3 Germany (DFG) 400 (1)(2) mg/m3 Switzerland 100 inhalable aerosols mg/m3

Remarks

Australia (1) This value refers to inhalable dust containing no asbestos and < 1% crystalline silica. Germany (AGS) (1) Inhalable fraction (2) Average value 15 minutes Germany (DFG) (1) Inhalable fraction (2) Average value 15 minutes New Zealand (1) The value for inhalable dusts containing no asbestos and less than 1% free silica. USA - OSHA (1) Inhalable fraction (2) Breathable fraction

- Substance: Glycerol DNEL Systemic effects Long term Workers inhalation = 56 (mg/m3) PNEC Sweet water = 0,885 (mg/l) sediment Sweet water = 3,3 (mg/kg/sediment) Sea water = 0,088 (mg/l) sediment Sea water = 0,33 (mg/kg/sediment) intermittent emissions = 8,85 (mg/l) ground = 0,141 (mg/kg ground)

```
- Substance: Beta-glucanase
PNEC
Sweet water = 0,0052 (mg/l)
Sea water = 0,00052 (mg/l)
STP = 65 (mg/l)
ground = 0,001 (mg/kg ground)
```

```
- Substance: Xylanase
PNEC
Sweet water = 0,0222 (mg/l)
Sea water = 0,0022 (mg/l)
STP = 65 (mg/l)
ground = 0,00295 (mg/kg ground)
```



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

According to Regulation (EC) N.1907/2006

8.2. Exposure controls

Appropriate engineering controls: Manufacture of food products: No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(b) Skin protection

(i) Hand protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

(ii) Other Wear normal work clothing.

(c) Respiratory protection Use adequate protective respiratory equipment (EN 14387:2008)

(d) Thermal hazards No hazard to report

Environmental exposure controls: Use according to good working practices and avoid to disperse the product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	brown liquid	
Odour	Not determined because it is considered not relevant for characterization of the product	
Odour threshold	Not determined because it is considered not relevant for characterization of the product	
рН	3,5 - 8,5 (20°C)	
Melting point/freezing point	Not determined because it is considered not relevant for characterization of the product	
Initial boiling point and boiling range	Not determined because it is considered not relevant for characterization of the product	
Flash point	Not determined because it is considered not relevant for characterization of the product	ASTM D92





ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

8 / 14

According to Regulation (EC) N.1907/2006

Physical and chemical properties	Value	Determination method	
Evaporation rate	Not determined because it is considered not relevant for characterization of the product		
Flammability (solid, gas)	Not determined because it is considered not relevant for characterization of the product		
Upper/lower flammability or explosive limits	Not determined because it is considered not relevant for characterization of the product		
Vapour pressure	Not determined because it is considered not relevant for characterization of the product		
Vapour density	Not determined because it is considered not relevant for characterization of the product		
Relative density	0,950 - 1,300		
Solubility	in water		
Water solubility	Miscible in all proportions		
Partition coefficient: n-octanol/water	Not determined because it is considered not relevant for characterization of the product		
Auto-ignition temperature	Not determined because it is considered not relevant for characterization of the product		
Decomposition temperature	Not determined because it is considered not relevant for characterization of the product		
Viscosity	Not determined because it is considered not relevant for characterization of the product		
Explosive properties	Not determined because it is considered not relevant for characterization of the product		
Oxidising properties	Not determined because it is considered not relevant for characterization of the product		

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Related to contained substances: Glycerol: Reacts with: Strong acids. Strong foundations

Beta-glucanase: Not relevant.

Xylanase: Not relevant.



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

According to Regulation (EC) N.1907/2006

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Related to contained substances: Glycerol: Humidity

Beta-glucanase: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Xylanase: Unavailable

10.5. Incompatible materials

None in particular

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) acute toxicity: Glycerol: Ingestion - LD50 rat (mg / kg / 24h bw): not available Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): not available Inhalation - LD50 rat (mg / I / 4h): not available Beta-glucanase: Ingestion - LD50 rat (mg/kg/24h bw): > 2000 Skin contact - LC50 rabbit (mg/kg/24h bw): nd Inhalation - LC50 rat (mg/l/4h): 2.42 Xylanase: Ingestion - LD50 rat (mg / kg / 24h bw): not available Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): not available Inhalation - LD50 rat (mg / I / 4h): not available (b) skincorrosion/irritation: Glycerol: Not classified Beta-glucanase: Unavailable Xylanase: Unavailable Glycerol: Not classified Beta-glucanase: Not classified Xylanase: Not irritating (c) serious eye damage/irritation: Glycerol: Not classified



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

#10/14

According to Regulation (EC) N.1907/2006

Beta-glucanase: Unavailable Xylanase: Unavailable Glycerol: Not classified Beta-glucanase: Unavailable Xvlanase: Not irritating (d) respiratoryorskinsensitisation: The product, if inhaled, can cause sensitization. Glycerol: Not classified Beta-glucanase: Once sensitized, a severe allergic reaction can occur upon subsequent exposure to very low levels. Xylanase: Respiratory sensitizer: Once sensitized, a severe allergic reaction may occur upon subsequent exposure to very low levels. (e) germ cell mutagenicity: Glycerol: Not classified Beta-glucanase: Not classified Xylanase: Not classified (f) carcinogenicity: Glycerol: Not classified Beta-glucanase: Not classified Xylanase: Unavailable (g) eproductivetoxicity: Glycerol: Not classified - Does not affect fertility. Non-toxic for development. Beta-glucanase: Unavailable Xylanase: Not classified (h) specific target organ toxicity (STOT) single exposure: Glycerol: Not classified Ingestion may cause nausea, vomiting and avoidance. Beta-glucanase: Unavailable Xylanase: Unavailable (i) specific target organ toxicity (STOT) repeated exposureGlycerol: Not classified Beta-glucanase: Not classified Xylanase: Not classified (i) aspiration hazard: Glycerol: Inhalation: May cause irritation to the respiratory tract and other mucous membranes. Beta-glucanase: May cause sensitization by inhalation

Xylanase: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

SECTION 12. Ecological information

12.1. Toxicity

_____ Related to contained substances: Glycerol: Acute aquatic toxicity: Not classified Chronic aquatic toxicity: Not classified LC50-96 h - fish 54000 mg / I Oncorhynchus mykiss EC50-48 h - Daphnia 1955 mg / I EC50-72 h - algae 3200 mg / I Entosiphon sulcatum

Beta-glucanase:

Acute toxicity - fish LC50 (mg / I / 96h): nd Acute toxicity - crustaceans EC50 (mg / I / 48h): nd Acute toxicity to algae ErC50 (mg / I / 72-96h): nd Chronic toxicity - fish NOEC (ma / I): nd Chronic toxicity - crustaceans NOEC (mg / I): nd Chronic toxicity to algae NOEC (mg / I): nd

Xvlanase: Acute toxicity - fish LC50 (mg / I / 96h): nd Acute toxicity - crustaceans EC50 (mg / I / 48h): nd



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

11 / 14

According to Regulation (EC) N.1907/2006

Acute toxicity algae ErC50 (mg / I / 72-96h): nd Chronic toxicity - fish NOEC (mg / I): nd Chronic toxicity - crustaceans NOEC (mg / I): nd Chronic toxicity algae NOEC (mg / I): nd

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Beta-glucanase: Easily biodegradable

Xylanase: Easily biodegradable

12.3. Bioaccumulative potential

Related to contained substances: Glycerol: Log P octanol / water at 20 ° C -1.76 - 2.6 Kow log -1.76 Bioaccumulative potential Not expected to bioaccumulate.

Beta-glucanase: No bioaccumulation potential

Xylanase: No bioaccumulation potential

12.4. Mobility in soil

=========================

Related to contained substances: Glycerol: ground Product that penetrates easily into the ground.

Beta-glucanase: Unavailable

Xylanase: Unavailable

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

According to Regulation (EC) N.1907/2006

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Residual waste

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner and in accordance with local/regional/national/ international regulations.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information

Incinerate. Incinerator should be appropriately for this product. Workers should wear appropriate personal protective equipment(s) such as respirator.

Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this material to drain into sewers/water supplies.

SECTION 14. Transport information

14.1. UN number or ID number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023

According to Regulation (EC) N.1907/2006

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. Reach as amended): not applicable Substances in Candidate List (art. 59 Reach as amended): the product does not contain SVHC Substances subject to authorisation (Ann. XIV Reach as amended): the product does not contain SVHC

Regulation (EC) No 1169/2011, as amended: see 2.2 Regulation (EC) No 1332/2008, as amended: see 2.2 Regulation (EC) No 1333/2008, as amended: see 2.2

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Description of hazard statements set out in paragraph 3

H334 = May cause allergy or asthma symptoms or breathing difficulties if inhaled

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled Classification procedure: Calculation method

Main normative references: Regulation (EC) 1272/2008 (CLP Regulation) as amended Regulation (EC) No. 1907/2006, REACH as amended Regulation (EU) No 1169/2011 of the European Parliament and of the Council as amended Regulation (EC) No 1332/2008 of the European Parliament and of the Council Regulation (EC) No 1333/2008 of the European Parliament and of the Council Regulation (EC) No 1331/2008 of the European Parliament and of the Council Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, as amended Regulation (EC) No. 850/2004 On persistent organic pollutants, as amended Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, as amended Regulation (EC) No. 166/2006 Pollutant Release and Transfer Registry, as amended Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended Commission Regulation(EC) No 1881/2006 on contaminants in food EC 1935/2004 and EU 10/2011 as amended on Food Contact materials EU regulations Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.



ENDOZYM Glucacel UHT

Issued on 04/05/2023 - Rel. # 1 on 04/05/2023 According to Regulation (EC) N.1907/2006 n.a.: not applicable n.d.: not available ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ATE: Acute Toxicity Estimat BFC: BioconCentration Factor BOD: Biochemical Oxigen Demand CAS: Chemical Abstract Service number CAP: Centre AntiPoison CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances) CL50/LC50: Lethal Concentration 50 DL50/LD50: Lethal Dose 50 COD: Chemical Oxygen Demand DNEL: Derived No Effect Level EC50: half maximal Effective Concentration ERC: Enviroment Release Classes EU/UE: European Union IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code Kow: Octanol water partition coefficient NOEC: No Observed Effect Concentration OEL: Occupational Exposure Limit PBT: Persistent Bioaccumulative and Toxic PC: Product Categories PNEC: Predicted No Effect Concentration **PROC:** Process Categories RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations concerning International rail transport of dangerous goods) STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure STP: Sewage Treatment Plants SU: Sector of Use SVCH: Substance of Very High Concern TLV: Threshold Limit Value vPvB: Very Persistent Very Bioaccumulative References and Sources:

• ECHA Registered Substances:

https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances

• GB MCL-GB mandatory clas. and labelling list: https://www.hse.gov.uk/

chemicalclassification/

assets/docs/mcl-list.xlsx

- SDS supplier
- GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

HSE Great Britain limit values: https://www.hsl.gov.uk/

This msds was made in good faith by technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: first issue.