

**SECTION 1. Identification of the substance/mixture and of the company/enterprise**

**1.1. Product identifier**

Product name : ABWet  
Product code: refer to sales department

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Detergent additive

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4]

Product category:

Washing and Cleaning Products (including solvent based products)

Process categories:

Use in batch and other process (syn- thesis) where opportunity for exposure arises[PROC4], Transfer of substance or mixture (charging and discharging) at dedicated facilities[PROC8B]

Not recommended uses

Do not use for purposes other than those listed

**1.3. Details of the supplier of the safety data sheet**

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy  
Tel. +39.030.2307.1 Fax +39.030.2307281  
E-mail: info@aeb-group.com - Internet: www.aeb-group.com  
E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA  
111 N Cluff Avenue  
Lodi CA 95240 (USA)  
Tel: +1 2096258139 Fax: +1 2092248953  
Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD  
18 Track Crescent, Cor. Station Road  
Montague Gardens 7441  
Cape Town (South Africa)  
Tel.: +27 215512700 - Fax: +27 (0) 215511919  
Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD  
178A Wakaden Street  
Griffith NSW 2680  
T: 1300 704 971  
Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by  
AEB SpA  
Via Vittorio Arici 104 S. Polo  
25134 Brescia

#### 1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3

Hazard statement Code(s):

H319 - Causes serious eye irritation.

H400 - Very toxic to aquatic life. (Acute toxicity M-factor = 1)

H412 - Harmful to aquatic life with long lasting effects.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours.

The product is dangerous for the environment as it is very toxic to aquatic organisms

The product is dangerous to the environment as it is harmful to aquatic life with long lasting effects

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS07, GHS09 - Warning

Hazard statement Code(s):

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response



P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Disposal

P501 - Dispose of contents/container to local/regional/national/international regulations

Contains (Reg.EC 648/2004):

> 30% non-ionic surfactants

### 2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

Do not ingest. Keep out of reach of children.

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
alcohols, C12-14, ethoxylated and propoxylated	95-100%	Eye Irrit. 2, H319; Aquatic Acute 1, H400; Aquatic Chronic 3, H412 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1		68439-51-0		Polymer

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take off immediately contaminated clothing.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Not dangerous. In case of malaise consult a doctor.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No data available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

If eye irritation persists: Get medical advice/attention.

### **SECTION 5. Firefighting measures**

#### **5.1. Extinguishing media**

Extinguishing media - small fires - Polyvalent powders - Carbon dioxide (CO<sub>2</sub>) - Aqueous alcohol resistant foam producing film (AR-AFFF)

Extinguishing media - large fires - Aqueous alcohol resistant foam producing film (AR -AFFF) Unsuitable extinguishing media - If the product catches fire, do not extinguish the fire with water. - (The combustible material can be ejected into the fire, temporarily increasing the blaze)

#### **5.2. Special hazards arising from the substance or mixture**

The pressure in hermetically sealed containers can increase under the effect of heat. - Combustible, but does not present particular risks in case of fire. - Hazardous decomposition products in case of fire. - Possible existence of high concentrations of toxic or harmful products in the residual liquid after extinction.

#### **5.3. Advice for firefighters**

Wear full protective clothing and self-contained breathing apparatus. - Personal protective equipment which includes: suitable protective gloves, safety glasses and protective clothing

### **SECTION 6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Move away from the area surrounding the spill or release. Not smoking. Wear a mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all open flames and possible sources of ignition. Not smoking. Provide adequate ventilation. Evacuate the danger area and, if necessary, consult an expert.

#### **6.2. Environmental precautions**

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities.

Dispose of the waste material in compliance with the regulations

### **6.3. Methods and material for containment and cleaning up**

#### **6.3.1 Containment:**

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS)  
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material or suck it.  
Prevent it from entering the sewer system.

#### **6.3.2 Cleaning up:**

After wiping up, wash with water the area and materials involved

#### **6.3.3 Other information:**

None in particular.

### **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

## **SECTION 7. Handling and storage**

### **7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors

Wear protective gloves/protective clothing/eye protection/face protection.

At work do not eat or drink.

See also paragraph 8 below.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabelled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

### **7.3. Specific end use(s)**

Industrial Manufacturing:

Handle with extreme caution. Store in a well-ventilated place away from heat sources. (7-30 ° C)

Manufacture of food products:

Handle with Care. Store in a clean, dry and ventilated place, away from heat sources and direct sunlight. Keep the container tightly closed. (7-30 ° C)

See the annex exposure scenario.

## **SECTION 8. Exposure controls/personal protection**

### **8.1. Control parameters**

No data available.

### **8.2. Exposure controls**

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

Wear protective goggles (EN 166).

(b) Skin protection

(i) Hand protection

Not needed for normal use.

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

During working operation wear protective clothing (generic workwear / antacid, safety shoes or other protective equipment) according to the instructions of the employer.

(c) Respiratory protection

Not needed for normal use.

None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements (89/656/EEC, 245/2016 UE), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Clear liquid	
Colour	colorless or slightly straw yellow	
Odour	Characteristic	
Odour threshold	not determined as considered not relevant for the characterization of the product	
pH	6 - 7,5 (20°C)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	

Physical and chemical properties	Value	Determination method
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	0,97 ± 0,05 (20°C)	
Solubility	In water	
Water solubility	Soluble	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

## 9.2. Other information

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

Stable under normal environmental conditions of temperature and pressure

### 10.2. Chemical stability

Stable under recommended storage conditions

### 10.3. Possibility of hazardous reactions

No dangerous reactions are known when used under normal conditions

#### **10.4. Conditions to avoid**

Keep away from open flames, hot surfaces and sources of ignition  
Avoid excessive heat for prolonged periods of time

#### **10.5. Incompatible materials**

Strong oxidizing agents

#### **10.6. Hazardous decomposition products**

Does not decompose when used for intended uses.

### **SECTION 11. Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

ATE(mix) oral = >2000 (mg/kg)

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: alcohols, C12-14, ethoxylated and propoxylated: Ingestion - LD50 rat (mg / kg / 24h bw): >2000

Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): nd

Inhalation - LD50 rat (mg / l / 4h): nd

(b) skin corrosion/irritation: alcohols, C12-14, ethoxylated and propoxylated: Non-corrosive

alcohols, C12-14, ethoxylated and propoxylated: Not irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours.

alcohols, C12-14, ethoxylated and propoxylated: Non-corrosive

alcohols, C12-14, ethoxylated and propoxylated: Irritating

(d) respiratory or skin sensitisation: alcohols, C12-14, ethoxylated and propoxylated: Classification criteria are not met

(e) germ cell mutagenicity: alcohols, C12-14, ethoxylated and propoxylated: Classification criteria are not met

(f) carcinogenicity: alcohols, C12-14, ethoxylated and propoxylated: Classification criteria are not met

(g) reproductive toxicity: alcohols, C12-14, ethoxylated and propoxylated: Classification criteria are not met

(h) specific target organ toxicity (STOT) single exposure: alcohols, C12-14, ethoxylated and propoxylated: Classification criteria are not met

(i) specific target organ toxicity (STOT) repeated exposure: alcohols, C12-14, ethoxylated and propoxylated: Classification criteria are not met

(j) aspiration hazard: alcohols, C12-14, ethoxylated and propoxylated: Classification criteria are not met

#### **11.2. Information on other hazards**

No data available.

### **SECTION 12. Ecological information**

### **12.1. Toxicity**

=====  
Related to contained substances:  
alcohols, C12-14, ethoxylated and propoxylated:  
Acute toxicity - LC50 fish (mg / l / 96h): 1.41  
Acute toxicity - crustaceans EC50 (mg / l / 48h): nd  
Acute toxicity algae ErC50 (mg / l / 72-96h): nd  
Chronic toxicity - NOEC fish (mg / l): nd  
Chronic toxicity - crustaceans NOEC (mg / l): nd  
Chronic toxicity NOEC algal (mg / l): nd

The product is dangerous for the environment as it is very toxic to aquatic organisms following acute exposure.  
The product is dangerous for the environment as it is toxic for aquatic organisms following acute exposure.

Use according to good working practices and avoid to disperse the product into the environment.

### **12.2. Persistence and degradability**

Easily and quickly degradable

=====  
Related to contained substances:  
alcohols, C12-14, ethoxylated and propoxylated:  
Easily and rapidly degradable (92.4% 28d)

### **12.3. Bioaccumulative potential**

Not available

=====  
Related to contained substances:  
alcohols, C12-14, ethoxylated and propoxylated:  
Not available

### **12.4. Mobility in soil**

Not available

=====  
Related to contained substances:  
alcohols, C12-14, ethoxylated and propoxylated:  
Not available

### **12.5. Results of PBT and vPvB assessment**

Not classified

### **12.6. Endocrine disrupting properties**

No data available.

### 12.7. Other adverse effects

Not available

Regulation (EC) No 2006/907 - 2004/648

The (l) surfactant (s) content (s) in this preparation complies (comply) with (i) the biodegradability criteria as laid down in Regulation CE/648/2004 on detergents. All data are held at the disposal of the competent authorities of Member States and will be provided, at their direct request or at the request of a detergent manufacturer, to those authorities.

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

## SECTION 14. Transport information

### 14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3082



If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packaging placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

### 14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (ALCOOL GRASSO ETOSSILATO-PROPOSSILATO)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated/Propoxylated Alcohol)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated/Propoxylated Alcohol)

### 14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label : 9+ENVIRONMENTALLY HAZARDOUS

ADR: Tunnel restriction code : --

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-A, S-F

### 14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

### 14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous

IMDG: Marine polluting agent : Yes

#### **14.6. Special precautions for user**

The transport must be carried out by authorized vehicles for the transport of dangerous goods in accordance with the requirements of the applicable Edition of the agreement A.D.R. and national provisions. The transport must be carried out in the original packaging and in packages that are made from materials resistant to content and not likely to generate with this dangerous reactions. The process of loading and unloading of dangerous goods have received adequate training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

#### **14.7. Maritime transport in bulk according to IMO instruments**

Transport in bulk is not foreseen

### **SECTION 15. Regulatory information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable  
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC in a proportion  $\geq 0.1\%$ .  
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC in a proportion  $\geq 0.1\%$ .

Reg. EC 648/04: see 2.2

Reg. (EU) n. 1169/2011: see 2.2

Reg (UE) 528/2012: see.to 2.2

Seveso category:

E1 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP4 - Irritant — skin irritation and eye damage

HP14 - Ecotoxic

#### **15.2. Chemical safety assessment**

No chemical safety assessment was carried out by the supplier

### **SECTION 16. Other information**

#### **16.1. Other information**

Description of hazard statements set out in paragraph 3

H319 = Causes serious eye irritation.

H400 = Very toxic to aquatic life.

H412 = Harmful to aquatic life with long lasting effects.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.  
Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.  
Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)  
Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.  
Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg. EC 1272/2008): bridging principle/ substantially similar mixture

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimat

BFC: BioconCentration Factor

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand

DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity

STOT (RE): Repeated Exposure

STOT (SE): Single Exposure

STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

#### References and Sources:

- ECHA Registered Substances:  
<https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

\*\*\* this tab annuls and replaces any previous edition. (IIXX)

---

**SUMI****Safe Use of Mixtures Information****AISE\_SUMI\_IS\_4\_1***Version 1.1, August 2018****Industrial uses; Automated task; Semi-automated task; Dedicated equipment***

*This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.*

**General description of the process covered**

The SUMI applies to industrial uses where products are used in closed process where opportunity for exposure arises. This Safe Use Information is based on the **AISE\_SWED\_IS\_4\_1**.

**Operational Conditions**

<b>Maximum duration</b>	480 minutes per day.
<b>Range of application / Process conditions</b>	Indoor Use. Process carried out at room temperature. In case of dilution, tap water at a maximum temperature of 45°C is used.
<b>Air exchange rate</b>	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

**Risk Management Measures**

<b>Measures related to personal protective equipment (PPE), hygiene and health evaluation</b>	See section 8 of the SDS of this product for specifications.
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
<b>Environmental measures</b>	Prevent that undiluted product reaches surface waters.
	<b>If appropriate AISE SPERC 8a.1.a.v2 may apply:</b> wide dispersive use resulting in release to municipal sewage treatment plant.

**Additional good practice advice**

<p><b>Don't eat or drink.</b>  <b>Don't smoke.</b>  <b>Don't use in proximity of open flame.</b></p>	
<p><b>Wash hands after use.</b>  <b>Avoid contact with damaged skin.</b>  <b>Do not mix with other products.</b></p>	
<p><b>Spillage instructions</b></p>	<p>Dilute with fresh water and mop up.</p>
<p><b>Hygiene practices</b></p>	<p>Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.</p>

**Additional information depending on product composition**

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

**Disclaimer**

*This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.*

*If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.*

*Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.*

*This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.*

*A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.*

**SUMI****Safe Use of Mixtures Information****AISE\_SUMI\_IS\_8b\_2***Version 1.1, August 2018****Transfer and dilution of concentrated product by using dedicated dosing system***

*This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.*

**General description of the process covered**

This SUMI applies to industrial uses where products are transferred to or diluted in a dedicated dosing system. This Safe Use Information is based on the **AISE\_SWED\_IS\_8b\_2\_L** and **AISE\_SWED\_IS\_8b\_2\_S**

**Operational Conditions**

<b>Maximum duration</b>	60 minutes per day.
<b>Range of application / Process conditions</b>	Indoor Use.
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
<b>Air exchange rate</b>	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

**Risk Management Measures**

<b>Measures related to personal protective equipment (PPE), hygiene and health evaluation</b>	See section 8 of the SDS of this product for specifications.
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
<b>Environmental measures</b>	Prevent that undiluted product reaches surface waters.
	<b>If appropriate AISE SPERC 8a.1.a.v2 may apply:</b> wide dispersive use resulting in release to municipal sewage treatment plant.

**Additional good practice advice**

<p><b>Don't eat or drink.</b>  <b>Don't smoke.</b>  <b>Don't use in proximity of open flame.</b></p>	
<p><b>Wash hands after use.</b>  <b>Avoid contact with damaged skin.</b>  <b>Do not mix with other products.</b></p>	
<b>Spillage instructions</b>	Dilute with fresh water and mop up.
<b>Hygiene practices</b>	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

**Additional information depending on product composition**

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

**Disclaimer**

*This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.*

*If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.*

*Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.*

*This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.*

*A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.*