



SANIMATIC

.....
 Alcohol-based sanitizer for hard surfaces

→ DESCRIPTION

Sanimatic is a ready-to-use, alcohol-based (ethyl and isopropyl alcohol) liquid sanitizer, to be applied as a final treatment on hard surfaces at the end of washing operations in food, pharmaceutical, cosmetic industries and in the zoo-technical field.

Sanimatic is active against the majority of organic contaminations. It is particularly indicated for the treatment of hard surfaces where the utilization of water or watery solutions is not recommended, or for the treatment of operators' gloves.

Sanimatic can be used during production stops to maintain the hygienic quality of surfaces and for the washing and sanitation of conveyor belts, slicing machines and equipments.

→ TECHNICAL CHARACTERISTICS

Physical appearance: colourless clear liquid
 pH (as it is): 6-8
 Relative density at 20°C: 0,93 ± 0,05
 Odour: alcohol characteristic

The above indicated chemical-physical data represent the typical product's characteristics drawn from the analysis carried out on the product. These values are not a specification.

→ INSTRUCTIONS FOR USE*

Use **Sanimatic** undiluted by spraying it on surfaces. Final rinsing with drinking water till the complete removal of all possible residues, or removal by means of a wet disposable paper cloth. The formulation must not come into direct or indirect contact with foodstuff.

→ FIELDS OF APPLICATION

Sanitation by aspersion of surfaces, equipments and plants. Treatment of instruments and tools, conveyor belts, slicing machines, knives and containers. Sanitation of operators' gloves.

→ COMPATIBILITY OF THE FORMULATION

Sanimatic is compatible with most material normally present in food industries, if used according to the producer's indications. In case of doubt, carry out a test on the single material before using the product. Do not put in contact with plastic materials sensible to stress cracking (polycarbonate).

Reference: SANIMATIC_TDS_EN_1270519_Italy





SANIMATIC

→ PRECAUTIONS FOR HANDLING AND STORAGE

Store in the original containers and avoid extreme temperatures. Consult the Material Safety Data Sheet.

→ TITRATION METHOD

Not available.

→ PACKAGING

10 kg net drums.

0,75 kg net bottles in cartons containing 20 bottles.

*The indications have been established for general use conditions. For conditions differing from the norm, for example depending on the particular water hardness, the working method or cleaning problems, please consult us; our technical service will be pleased to advise you and to cooperate with you.

