

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : CELOFOAM
Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Foaming Cleanser
Sectors of use:
Industrial Manufacturing[SU3], Public domain (administration, education, entertainment, services, craftsmen)[SU22]
Product category:
Washing and Cleaning Products (including solvent based products)
Process categories:
Industrial spraying[PROC7], Transfer of substance or mixture (charging and discharging) at nondedicated facilities[PROC8A], Transfer of substance or mixture (charging and discharging) at dedicated facilities[PROC8B], Non industrial spraying[PROC11]

Not recommended uses
Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy
Tel. +39.030.2307.1 Fax +39.030.2307281
E-mail: info@aeb-group.com - Internet: www.aeb-group.com
E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA
111 N Cluff Avenue
Lodi CA 95240 (USA)
Tel: +1 2096258139 Fax: +1 2092248953
Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD
18 Track Crescent, Cor. Station Road
Montague Gardens 7441
Cape Town (South Africa)
Tel.: +27 215512700 - Fax: +27 (0) 215511919
Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD
178A Wakaden Street
Griffith NSW 2680
T: 1300 704 971
Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by
AEB SpA
Via Vittorio Arici 104 S. Polo
25134 Brescia

1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05

Hazard Class and Category Code(s):

Met. Corr. 1, Skin Corr. 1, Eye Dam. 1

Hazard statement Code(s):

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

The product can be corrosive to metals

Corrosive product: causes severe skin burns and eye damage.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS05 - Danger

Hazard statement Code(s):

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

Prevention



P260 - Do not breathe vapours/spray.

P280 - Wear protective gloves/clothing and eye/face protection.

Response

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains:

Orthophosphoric acid

Contains (Reg.EC 648/2004):

< 5% non-ionic surfactants

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

The use of this chemical agent involves the obligation of "risk assessment" by the employer in accordance with the provisions of Dlgs n. 81. April 9, 2008. Workers exposed to this chemical agent should not be subject to health surveillance if the results of the risk assessment show that, depending on the type and quantity of dangerous chemical agent and method and frequency of exposure to the agent, there is only a "moderate Risk" for the health and safety of workers and that the measures laid down in the Decree are sufficient to reduce the risk.

Do not ingest. Keep out of reach of children.

For professional use only

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
Orthophosphoric acid (B)	>= 30 < 50%	Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	015-011-00-6	7664-38-2	231-633-2	01-2119485 924-24-XXX X
Amines, C12-14 alkyldimethyl, N-oxides	>= 1 < 5%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411		308062-28-4	931-292-6	01-2119490 061-47-XXX X
N,N-Dimethyltetradecylamine	>= 0,1 < 1%	Acute Tox. 4, H302;		3332-27-2	222-059-3	01-211994

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
N-Oxide		Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411				9262-37-XX XX

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take off immediately contaminated clothing.

In case of contact with skin, wash immediately with water.

Immediately consult a physician.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Drink water with egg white; do not give bicarbonate.

Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

If ingested, it can cause chemical burns in the mouth and throat.

Skin contact may cause burns.

Contact with eyes may cause intense irritation, including redness and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER or a doctor.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus
Safety helmet and full protective clothing.
The water spray can be used to protect the people involved in the extinction.
You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas.
Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke
Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.
Provide a sufficient ventilation.
Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills with earth or sand.
If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities.
Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS)
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material or suck it.
Prevent it from entering the sewer system.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors
Wear protective gloves/clothing and eye/face protection.
In residential areas do not use on large surfaces.
At work do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources. (7°C-30°C)

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care.

Store in a ventilated area and away from heat, keep the container tightly closed. (7°C-30°C)

See the annex exposure scenario.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

=====

Related to contained substances:

Orthophosphoric acid:

Limit value – Eight hours

(ppm)/(mg/m³)

Argentina x/1

Australia: x/1

Austria: x/1

Belgium : x/1

Canada-Ontario: x/1

Canada-Québec: x/1

Czech rep.: x/1

Denmark: x/1

European Union: x/1

Finland: x/1

France: 0.2/1

Germany (AGS): x/2 inhalable aerosol

Germany (DFG): x/2 inhalable aerosol

Hungary: x/1

Ireland: x/1

Italy: x/1

New Zealand: x/1

People's Republic of China: x/1

Poland: x/1

Portugal: x/1

Singapore: x/1

Slovakia: x/1

South Korea : x/1

Spain: x/1

Sweden: x/1

Switzerland: x/1

The Netherlands: x/1

Turkey: x/1

USA – NIOSH: x/1

USA – OSHA: x/1

United Kingdom: x/1

Limit value – Short Term

(ppm)/(mg/m³)

Argentina: x/3

Australia: x/x

Austria: x/2

Belgium : x/2

Canada-Ontario: x/3

Canada-Québec: x/3

Czech rep.: x/2

Denmark: x/2

European Union: x/2

Finland: x/2(1)

France: 0.5/2

Germany (AGS): x/4 inhalable aerosol

Germany (DFG): x/4 inhalable aerosol

Hungary: x/2

Ireland: x/2(1)

Italy: x/2

New Zealand: x/x

People's Republic of China: x/3(1)

Poland: x/2

Portugal: x/2

Singapore: x/x

Slovakia: x/2

South Korea : x/3

Spain: x/2

Sweden: x/3(1)

Switzerland: x/2

The Netherlands: x/2

Turkey: x/2(1)

USA – NIOSH: x/3(1)

USA – OSHA: x/x

United Kingdom: x/2

Remarks

European Union: Bold-type: Indicative Occupational Exposure Limit Values [2.3] and Limit Values for Occupational Exposure [4] ~ (for references see bibliography)

Finland: (1) 15 minutes average value

France: *Italic type*: Indicative statutory limits value

Germany (AGS): (1) 15 minutes average value

Germany (DFG): STV 15 minutes value

Ireland: (1) 15 minutes reference period

People's Republic of China: (1) 15 minutes average value

Sweden: (1) Short-term value, 15 minutes average value

Turkey: (1) 15 minutes average value

USA – NIOSH: (1) 15 minutes average value

- Substance: Orthophosphoric acid

DNEL

Local effects Long term Workers inhalation = 1

Local effects Long term Consumers inhalation = 0,73 (mg/m³)

Local effects Short term Workers inhalation = 2 (mg/m³)

- Substance: Amines, C12-14 alkyldimethyl, N-oxides

DNEL

Systemic effects Long term Workers inhalation = 6,2 (mg/m³)

Systemic effects Long term Workers dermal = 11 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 1,53 (mg/m³)
Systemic effects Long term Consumers dermal = 5,5 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 0,44 (mg/kg bw/day)
PNEC
Sweet water = 0,0335 (mg/l)
sediment Sweet water = 5,24 (mg/kg/sediment)
Sea water = 0,00335 (mg/l)
sediment Sea water = 0,524 (mg/kg/sediment)
intermittent emissions = 0,0335 (mg/l)
STP = 24 (mg/l)
ground = 1,02 (mg/kg ground)

- Substance: N,N-Dimethyltetradecylamine N-Oxide

DNEL

Systemic effects Long term Workers inhalation = 6,2 (mg/m³)
Systemic effects Long term Workers dermal = 11 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 1,53 (mg/m³)
Systemic effects Long term Consumers dermal = 5,5 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 0,44 (mg/kg bw/day)
PNEC
Sweet water = 0,0335 (mg/l)
sediment Sweet water = 5,24 (mg/kg/sediment)
Sea water = 0,0335 (mg/l)
sediment Sea water = 0,524 (mg/kg/sediment)
intermittent emissions = 0,0335 (mg/l)
STP = 24 (mg/l)
ground = 1,02 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

Wear protective goggles (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

During working operation wear protective clothing (generic workwear / antacid, safety shoes or other protective equipment) according to the instructions of the employer

(c) Respiratory protection

Not needed for normal use.

In case of insufficient ventilation or emergency, use mask with gas filters and and inorganic vapors - Grey , Class 3 , B (EN 405) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic. None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements (89/656/EEC, 245/2016 UE), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization

(d) Thermal hazards
No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	clear olive green liquid	
Odour	odorless	
Odour threshold	not determined as considered not relevant for the characterization of the product	
pH	<2,0 (20°C); 2,0 ± 0,5 (20°C, sol.6%)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	1,35 ± 0,05 (20°C)	
Solubility	in water	
Water solubility	miscible in all proportions	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	

Physical and chemical properties	Value	Determination method
Oxidising properties	not determined as considered not relevant for the characterization of the product	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Acid

10.2. Chemical stability

Stable at room temperature and under normal conditions of use.
Corrosive to concrete.

10.3. Possibility of hazardous reactions

Reacts exothermically with water.
Reacts vigorously with reducing agents, strong bases, organic materials and chlorides.
The reaction with most common metals
It can release oxygen.

10.4. Conditions to avoid

Direct heat and as specified in 10.3

10.5. Incompatible materials

Can generate flammable gases on contact with metals Inorganic Sulfides, nitrides, elementary, strong reducing agents.
Can generate toxic gases in contact with inorganic sulfides, strong reducing agents.

10.6. Hazardous decomposition products

The product in contact with metals develops hydrogen.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 49.354,0 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: Orthophosphoric acid: Ingestion-rat LD50 (mg/kg/bw 12h): 2600

Skin contact-LC50 rat/coniglio (mg/kg/bw 12h): 2740

Inhalation-rat LD50 (mg/l/4h): n.a.

Amines, C12-14 alkyldimethyl, N-oxides: Ingestion - LD50 rat (mg / kg / 24h bw): 1064

Skin contact - LC50 rat / rabbit (mg / kg / 24h bw): na

Inhalation - LD50 rat (mg / l / 4h): na

N,N-Dimethyltetradecylamine N-Oxide: Ingestion - LD50 rat (mg / kg / 24h bw):> 1495

Skin contact - LC50 rat / rabbit (mg / kg / 24h bw):> 2000

Inhalation - LD50 rat (mg / l / 4h): nd

(b) skin corrosion/irritation Corrosive product: causes severe skin burns and eye damage.

Orthophosphoric acid: Corrosive

Amines, C12-14 alkyldimethyl, N-oxides: Non-corrosive

N,N-Dimethyltetradecylamine N-Oxide: Non-corrosive

Orthophosphoric acid: Irritating

Amines, C12-14 alkyldimethyl, N-oxides: Irritating

N,N-Dimethyltetradecylamine N-Oxide: Irritating

(c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage. - If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Orthophosphoric acid: Corrosive

Amines, C12-14 alkyldimethyl, N-oxides: Corrosive

N,N-Dimethyltetradecylamine N-Oxide: Causes eye damage

Orthophosphoric acid: Irritating

Amines, C12-14 alkyldimethyl, N-oxides: Irritating

N,N-Dimethyltetradecylamine N-Oxide: Irritating

(d) respiratory or skin sensitization: Orthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Not available

N,N-Dimethyltetradecylamine N-Oxide: Not available

(e) germ cell mutagenicity: Orthophosphoric acid: Non-mutagenic

Amines, C12-14 alkyldimethyl, N-oxides: Not available

N,N-Dimethyltetradecylamine N-Oxide: Non-mutagenic

(f) carcinogenicity: Orthophosphoric acid: Non-carcinogenic

Amines, C12-14 alkyldimethyl, N-oxides: Not available

N,N-Dimethyltetradecylamine N-Oxide: Non-carcinogenic

(g) reproductive toxicity: Orthophosphoric acid: Non-toxic for reproduction

Amines, C12-14 alkyldimethyl, N-oxides: Not available

N,N-Dimethyltetradecylamine N-Oxide: Non-toxic for reproduction

(h) specific target organ toxicity (STOT) single exposure: Orthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Not available

N,N-Dimethyltetradecylamine N-Oxide: Not available

(i) specific target organ toxicity (STOT) repeated exposure: Orthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Not available

N,N-Dimethyltetradecylamine N-Oxide: Not available

(j) aspiration hazard: Orthophosphoric acid: Not available

Amines, C12-14 alkyldimethyl, N-oxides: Not available

N,N-Dimethyltetradecylamine N-Oxide: Not available

SECTION 12. Ecological information

12.1. Toxicity

=====

Related to contained substances:

Orthophosphoric acid:

Endpoint: LC50-species: Fish = 75.1 mg/l-h Duration: 96

Endpoint: EC50-species: Daphnia magna > 100 mg/l-h Duration: 48

Endpoint: EC50-species: Algae > 100 mg/l-h Duration: 72

Amines, C12-14 alkyldimethyl, N-oxides:

Acute toxicity - fish LC50 (mg / l / 96h): 2.67

Acute toxicity - crustaceans (Daphnia magna) EC50 (mg / l / 48h): 3.1

Acute algae toxicity - ErC50 (mg / l / 72h): 0.66

Chronic toxicity - fish NOEC (mg / l / 302d): 0.42

Chronic toxicity - crustaceans (Daphnia magna) NOEC (mg / l / 21d): 0.7

Chronic toxicity - algae NOEC (mg / l / 28d): 0.067

C(E)L50 (mg/l) = 0,66

NOEC (mg/l) = 0,067

N,N-Dimethyltetradecylamine N-Oxide:

48 h DAPHNIA EC50 0.1-1.0 mg/l

RAINBOW TROUT (Oncorhynchus mykiss) 83d LC50 0.1-1.0 mg/l

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

=====

Related to contained substances:

Orthophosphoric acid:

Not readily biodegradable

Amines, C12-14 alkyldimethyl, N-oxides:

Easily biodegradable

N,N-Dimethyltetradecylamine N-Oxide:

Biodegradable

12.3. Bioaccumulative potential

=====

Related to contained substances:

Orthophosphoric acid:

Not bioaccumulative

Amines, C12-14 alkyldimethyl, N-oxides:

log Pow: <2.7

N,N-Dimethyltetradecylamine N-Oxide:

Not available

12.4. Mobility in soil

=====

Related to contained substances:

Orthophosphoric acid:

Not available

Amines, C12-14 alkyldimethyl, N-oxides:

Easily absorbed into the soil.

N,N-Dimethyltetradecylamine N-Oxide:

Easily absorbed from the soil

12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

12.6. Other adverse effects

No adverse effects

Regulation (EC) No 2006/907 - 2004/648

The (l) surfactant (s) content (s) in this preparation complies (comply) with (i) the biodegradability criteria as laid down in Regulation CE/648/2004 on detergents. All data are held at the disposal of the competent authorities of Member States and will be provided, at their direct request or at the request of a detergent manufacturer, to those authorities.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 3264

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 1 L per package 30 Kg

Inner packaging placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 1 L per package 20 Kg



14.2. UN proper shipping name

ADR/RID/IMDG: LIQUIDO INORGANICO CORROSIVO, ACIDO, N.A.S. (Acido ortofosforico in miscela)

ADR/RID/IMDG: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Orthophosphoric acid in mixture)

ICAO-IATA: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Orthophosphoric acid in mixture)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 8

ADR/RID/IMDG/ICAO-IATA: Label : 8

ADR: Tunnel restriction code : E

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 1 L

IMDG - EmS : F-A, S-B

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: II

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent : No

14.6. Special precautions for user

The transport must be carried out by authorized vehicles for the transport of dangerous goods in accordance with the requirements of the applicable Edition of the agreement A.D.R. and national provisions. The transport must be carried out in the original packaging and in packages that are made from materials resistant to content and not likely to generate with this dangerous reactions. The process of loading and unloading of dangerous goods have received adequate training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable

Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC

Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC

Reg. EC 648/04: see 2.2

Reg. (EU) n. 1169/2011: see 2.2

Reg (UE) 528/2012: see.to 2.2

REGULATION (EU) No 1357/2014 - waste:

HP8 - Corrosive

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 2.2. Label elements

Description of hazard statements set out in paragraph 3

H290 = May be corrosive to metals.
H314 = Causes severe skin burns and eye damage.
H318 = Causes serious eye damage.
H302 = Harmful if swallowed.
H315 = Causes skin irritation.
H400 = Very toxic to aquatic life.
H411 = Toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.
Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.
Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.
Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)
Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.
Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008):

Physical hazards: On the basis of experimental data

H314 Skin. Corr. 1A: On the basis of experimental data / Calculation Method

Other hazards: Calculation Method

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimati

BFC: BioconCentration Factor

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand

DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations

concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity

STOT (RE): Repeated Exposure

STOT (SE): Single Exposure

STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:
- <https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: label variation, exposure scenario updating, attached working instruction table

SUMI**Safe Use of Mixtures Information****AISE_SUMI_IS_7_4_G***Version 1.1, August 2018****Industrial spraying; Automated task; Open system; Long term***

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

The SUMI applies to industrial spraying products. This Safe Use Information is based on the AISE_SWED_IS_7_4.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application / Process conditions	Indoor Use.
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications.  
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters.
	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

SUMI**Safe Use of Mixtures Information****AISE_SUMI_IS_8b_1***Version 1.1, August 2018****Transfer and dilution of concentrated product by using dedicated dosing system***

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to industrial uses where products are transferred to or diluted in a dedicated dosing system. This Safe Use Information is based on the **AISE_SWED_IS_8b_1_L** and **AISE_SWED_IS_8b_1_S**

Operational Conditions

Maximum duration	60 minutes per day.
Range of application / Process conditions	Indoor Use.
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation	Wear suitable gloves. See section 8 of the SDS of this product for specifications. 
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters.
	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

SUMI**Safe Use of Mixtures Information****AISE_SUMI_PW_8a_1_G***Version 1.1, August 2018****Transfer of product to a container (bottle/bucket/machine)***

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle or bucket. Safe Use Information is based on the **AISE_SWED_PW_8a_1_L** and **AISE_SWED_PW_8a_1_S**.

Operational Conditions

Maximum duration	60 minutes per day.
Range of application / Process conditions	Indoor Use.
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications.  
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters.
	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

SUMI**Safe Use of Mixtures Information****AISE_SUMI_PW_11_3_G***Version 1.1, August 2018****Professional uses; Spraying***

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses of products in a spraying application. This Safe Use Information is based on the **AISE_SWED_PW_11_3**.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application / Process conditions	Indoor Use.
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications. 
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters.
	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

WORKING ISTRUCTION TABLE



This tab provides instructions for appropriate and safe use of products and proper management of emergency situations for cleaning staff/users.

Attached to MSDS rel#7 del 08/25/20

Use description	Industrial spraying[PROC7], Transfer of substance or preparation (charging/discharging) from/to ves- sels/large containers at non-dedicated facilities[PROC8A], Transfer of substance or preparation (charging/discharging) from/to ves- sels/large containers at dedicated facilities[PROC8B], Non industrial spraying[PROC11]
Product name	CELOFOAM
Classification of the product (100%)	H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.
Classification of the diluted product (maximum use concentration)	At maximux concentration of use (6%) the product is classified: H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.
Handling of the product (100%)	Avoid contact and inhalation of vapors Wear protective gloves/protective clothing/eye protection/face protection. At work do not eat or drink.
Handling of the diluted product	Avoid contact and inhalation of vapors Wear protective gloves/protective clothing/eye protection/face protection. At work do not eat or drink.
DPI required concentrated product (racking, concentrated use, spillage...)	Chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3), safety glasses (EN 166).
Diluted product	Chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3), safety glasses (EN 166).

In case of emergency (accidents involving exposure to the product)	Immediately inform the customer. Immediately inform the employer. Contact Poisons Centres tel. number in 1.4 section of the MSDS
Accidental release large quantities measures: concentrated product	Wear gloves, mask and protective clothing (for specifications refer to section 8.2. SDS) Possibly absorb it with inert material or suck it. After wiping up, wash with water the area and materials involved
Diluted product	Wear gloves and protective clothing. Wash with water the area and materials involved
Storage of the product	Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.
In case of accidents, emergency or fire	Immediately inform the customer. Follow company emergency instruction.