

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : CEPOFOAM
Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Acid cleaner
Sectors of use:
Industrial Manufacturing[SU3], Public domain (administration, education, entertainment, services, craftsmen)[SU22]
Product category:
Washing and Cleaning Products (including solvent based products)

Not recommended uses
Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy
Tel. +39.030.2307.1 Fax +39.030.2307281
E-mail: info@aeb-group.com - Internet: www.aeb-group.com
E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA
111 N Cluff Avenue
Lodi CA 95240 (USA)
Tel: +1 2096258139 Fax: +1 2092248953
Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD
18 Track Crescent, Cor. Station Road
Montague Gardens 7441
Cape Town (South Africa)
Tel.: +27 215512700 - Fax: +27 (0) 215511919
Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD
113 Hanwood Avenue
Hanwood
NSW 2680 (Australia)
Tel: +61 1300 704 971
Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by
AEB SpA
Via Vittorio Arici 104 S. Polo
25134 Brescia

1.4. Emergency telephone number

AEB SpA
Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB BIOCHEMICAL USA
Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD
Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD
Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:
GHS05, GHS07

Hazard Class and Category Code(s):
Skin Irrit. 2, Eye Dam. 1

Hazard statement Code(s):
H315 - Causes skin irritation.
H318 - Causes serious eye damage.

If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.
If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS05 - Danger

Hazard statement Code(s):
H315 - Causes skin irritation.
H318 - Causes serious eye damage.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:
Prevention
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response
P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present



and easy to do. Continue rinsing.

Contains:

Sulphamic acid, Alkyl polyglucoside C8 - 10

Contains (Reg.EC 648/2004):

5% < 15% non-ionic surfactants

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

The use of this chemical agent involves the obligation of "risk assessment" by the employer in accordance with the provisions of Dlgs n. 81. April 9, 2008. Workers exposed to this chemical agent should not be subject to health surveillance if the results of the risk assessment show that, depending on the type and quantity of dangerous chemical agent and method and frequency of exposure to the agent, there is only a "moderate Risk" for the health and safety of workers and that the measures laid down in the Decree are sufficient to reduce the risk.

Only for professional use

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
sulphamic acid	> 10 <= 20%	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	016-026-00-0	5329-14-6	226-218-8	01-2119488 633-28-xxxx
Alkyl polyglucoside C8 - 10	> 5 <= 10%	Eye Dam. 1, H318		68515-73-1	500-220-1	01-2119488 530-36-XXX X

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take off immediately contaminated clothing.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material or suck it.

Prevent it from entering the sewer system.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

Wear protective gloves/protective clothing/eye protection/face protection.

At work do not eat or drink.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

- Substance: sulphamic acid

DNEL

Systemic effects Long term Workers inhalation = 70,5 (mg/m³)

Systemic effects Long term Workers dermal = 10 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 17,4 (mg/m³)

Systemic effects Long term Consumers dermal = 5 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 1,06 (mg/kg bw/day)

PNEC

Sweet water = 1,8 (mg/l)
sediment Sweet water = 8,36 (mg/kg/sediment)
Sea water = 0,18 (mg/l)
sediment Sea water = 0,84 (mg/kg/sediment)
STP = 20 (mg/l)
ground = 5 (mg/kg ground)

- Substance: Alkyl polyglucoside C8 - 10

DNEL

Systemic effects Long term Workers inhalation = 420 (mg/m³)
Systemic effects Long term Workers dermal = 595000 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 124 (mg/m³)
Systemic effects Long term Consumers dermal = 357000 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 35,7 (mg/kg bw/day)

PNEC

Sweet water = 0,176 (mg/l)
sediment Sweet water = 1516 (mg/kg/sediment)
Sea water = 0,0176 (mg/l)
sediment Sea water = 0,152 (mg/kg/sediment)
intermittent emissions = 0,27 (mg/l)
STP = 560 (mg/l)

8.2. Exposure controls



Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product, wear full protective clothing (generic workwear / antacid, safety shoes S3-EN ISO 20345) or other protective equipment, according to the instructions of the RSPP

(c) Respiratory protection

Not needed for normal use.

During manual operations in case of insufficient ventilation, use adequate protection mask (EN 143) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	clear brown liquid	
Odour	odorless	
Odour threshold	not determined as considered not relevant for the characterization of the product	
pH	2.5 ± 0.5 (20 ° C; 1% sol.)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	1.05 ± 0.05 (20 ° C)	
Solubility	in water	
Water solubility	miscible	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Acid

10.2. Chemical stability

Stable at room temperature and in normal conditions of use Non-corrosive towards stainless steel, aluminum, epoxy resins, copper, rubbers, plastics, antacid grès, phenolic resins, surfaces painted with nitro, glass. Some care must be taken on galvanized or tinned steel surfaces and on mild steel. Corrosive towards cement, concrete and marble.

10.3. Possibility of hazardous reactions

Reacts exothermically with water. Reacts energetically with reducing agents, strong bases, organic materials and chlorides. The reaction with the most common metals can release oxygen

10.4. Conditions to avoid

Direct heat sources and the provisions of 10.3

10.5. Incompatible materials

It can generate flammable gases in contact with dithiocarbamates, mercaptans and other organic sulfides, elementary metals, strong reducing agents. It can generate toxic gases in contact with inorganic fluorides, halogenated organic substances, sulfides, nitrides, nitriles, organophosphates, phosphothiates, strong oxidizing agents. It can ignite in contact with dithiocarbamates, elementary metals, nitrides.

10.6. Hazardous decomposition products

Decomposition in a fire or by heating or by direct light action liberates toxic gases (Nitrogen oxides)

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: sulphamic acid: Ingestion-rat LD50 (mg/kg/bw 24h): 31603

Skin contact-LC50 rat/coniglio (mg/kg/bw 24h): > 2000

Inhalation-rat LD50 (mg/l/4h): n.a.

Alkyl polyglucoside C8 - 10: Practically non-toxic to individual skin contact and/or single ingestion

Oral rat LD50 value: > 2000 mg/kg

Dermal LC50 rat/rabbit value: > 2000

(b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

sulphamic acid: Non-corrosive

Alkyl polyglucoside C8 - 10: Non-corrosive

sulphamic acid: Non-irritating

Alkyl polyglucoside C8 - 10: Slightly irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

sulphamic acid: Non-corrosive

Alkyl polyglucoside C8 - 10: Corrosive

sulphamic acid: Moderately irritating

Alkyl polyglucoside C8 - 10: Irritant

(d) respiratory or skin sensitization: sulphamic acid: Not available

Alkyl polyglucoside C8 - 10: Non-sensitizing

(e) germ cell mutagenicity: sulphamic acid: Non-mutagenic

Alkyl polyglucoside C8 - 10: Non-mutagenic

(f) carcinogenicity: sulphamic acid: Not available

Alkyl polyglucoside C8 - 10: Non-carcinogenic

(g) reproductive toxicity: sulphamic acid: Not available

Alkyl polyglucoside C8 - 10: Non-toxic for reproduction

(h) specific target organ toxicity (STOT) single exposure: sulphamic acid: Not available

Alkyl polyglucoside C8 - 10: Not available

(i) specific target organ toxicity (STOT) repeated exposures: sulphamic acid: Not available

Alkyl polyglucoside C8 - 10: Not available

(j) aspiration hazard: sulphamic acid: Not available

Alkyl polyglucoside C8 - 10: Not available

=====

Related to contained substances:

sulphamic acid:

LD50 (rat) Oral (mg/kg body weight) = 3160

SECTION 12. Ecological information

12.1. Toxicity

=====

Related to contained substances:

sulphamic acid:

Acute toxicity-fish LC50 (mg/l/96h): 70.3

Acute toxicity-crustacea EC50 (mg/l/48 h): 71.6

Acute algae toxicity ErC50 (mg/l/72-96h): 33.8 -48

C(E)L50 (mg/l) = 70

Alkyl polyglucoside C8 - 10:

Ittiotossicità:

LC50 > 100 mg/l (DIN EN ISO 7346-2)

Aquatic invertebrates:

EC50 > 100 mg/l (OECD-guideline 202, part 1)

Aquatic plants:

EC50 > 10-100 mg/l (Directive 88/302/EEC, part C, p 89)

Microorganisms/effects on activated sludge:

Ce0 > 100 mg/l (OECD-guideline 209)

Ce0 > 100 mg/l (DIN 38412 part 8)

Chronic toxicity on fish:

NOEC > 1-10 mg/l (OECD Guideline 204)

Chronic toxicity to aquatic invertebrates:

NOEC > 1-10 mg/l (OECD-guideline 202, part 2)

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

=====

Related to contained substances:

sulphamic acid:

Not available

Alkyl polyglucoside C8 - 10:

Evaluation of biodegradability and delete (H2O):

Readily biodegradable (according to OECD criteria).

Disposal considerations:

(Annex III, part A) The surfactant (s) contained in this formulation is (are) subject (s) to the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. All the supporting data shall be kept available to the competent authorities of the Member States and will be provided to the authorities at their request or at the request of a manufacturer of the formula.

12.3. Bioaccumulative potential

=====

Related to contained substances:

sulphamic acid:

Not available

Alkyl polyglucoside C8 - 10:

Assessment of bioaccumulation potential:

You don't have to wait for a build up in organisms.

12.4. Mobility in soil

=====

Related to contained substances:

sulphamic acid:

Not available

Alkyl polyglucoside C8 - 10:

Evaluation transport between environmental compartments:

The substance does not evaporate into the atmosphere from the surface of the water.

The soil solid phase absorption is possible.

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

Regulation (EC) No 2006/907 - 2004/648

The (l) surfactant (s) content (s) in this preparation complies (comply) with (i) the biodegradability criteria as laid down in Regulation CE/648/2004 on detergents. All data are held at the disposal of the competent authorities of Member States and will be provided, at their direct request or at the request of a detergent manufacturer, to those authorities.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC
Reg. EC 648/04: see 2.2
Reg. (EU) n. 1169/2011: see 2.2

REGULATION (EU) No 1357/2014 - waste:
HP4 - Irritant — skin irritation and eye damage

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Points modified compared to previous release: 2.2. Label elements.

Description of hazard statements set out in paragraph 3

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H412 = Harmful to aquatic life with long lasting effects.

H318 = Causes serious eye damage.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008):

Physical hazards: On the basis of experimental data

H314 Skin. Corr. 1A: On the basis of experimental data / Calculation Method

Other hazards: Calculation Method

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimati

BFC: Bioconcentration Factor

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand

DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Environment Release Classes

EU/UE: European Union

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity

STOT (RE): Repeated Exposure

STOT (SE): Single Exposure

STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:
- <https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: documental alignment
