AEB

SAFETY DATA SHEET

IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#1/17

In conformity to Regulation (EU) 2015/830

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name: IDROSAN

Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Chloroactive alkaline detergent

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Washing and Cleaning Products (including solvent based products)

Process categories:

Use in batch and other process (syn-thesis) where opportunity for exposure arises[PROC4], Industrial spraying[PROC7], Transfer of substance or mixture (charging and discharging) at nondedicated facilities[PROC8A], Transfer of substance or mixture (charging and discharging) at dedicated facilities[PROC8B], Non industrial spraying[PROC11], Application with rollers or brushes [PROC10], Treatment of articles by dipping and pouring [PROC13]

Not recommended uses

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA 111 N Cluff Avenue Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD 18 Track Crescent, Cor. Station Road Montague Gardens 7441 Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD 178A Wakaden Street Griffith NSW 2680

T: 1300 704 971

Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by AEB SpA



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#2/17

In conformity to Regulation (EU) 2015/830

Via Vittorio Arici 104 S. Polo 25134 Brescia

1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS05, GHS09

Hazard Class and Category Code(s):

Met. Corr. 1, Skin Corr. 1, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2

Hazard statement Code(s):

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

H400 - Very toxic to aquatic life. (Acute toxicity M-factor = 1)

H411 - Toxic to aquatic life with long lasting effects.

The product can be corrosive to metals

Corrosive product: causes severe skin burns and eye damage.

If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

The product is dangerous for the environment as it is very toxic to aquatic organisms

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s): GHS05, GHS09 - Danger





Hazard statement Code(s):

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#3/17

In conformity to Regulation (EU) 2015/830

Supplemental Hazard statement Code(s):

EUH031 - Contact with acids liberates toxic gas (Cl2)

Precautionary statements:

Prevention

P260 - Do not breathe vapours/spray.

P280 - Wear protective gloves/clothing and eye/face protection.

Response

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Disposal

P501 - Dispose of contents/container to local/regional/national/international regulations

Contains:

Sodium hypochlorite, Sodium hydroxide

Contains (Reg.EC 648/2004):

5% < 15% chlorine-based bleaching agents, < 5% polycarboxylates

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

Do not ingest. Keep out of reach of children.

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACh
Sodium hydroxide	>= 5 < 10%	Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	011-002-00-6	1310-73-2	215-185-5	01-2119457 892-27-XXX X
Sodium hypochloriteB	>= 5 < 10%	EUH031; Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 10	017-011-00-1	7681-52-9	231-668-3	01-2119488 154-34-XXX X
Polycarboxylate	>= 0,1 < 1%					



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#4/17

In conformity to Regulation (EU) 2015/830

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACh
substance for which there are Community workplace exposure limits						

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of skin contact: immediately take off all contaminated clothing and dispose of them safely. SEEK MEDICAL ADVICE IMMEDIATELY. In case of contact with skin, wash immediately with plenty of water and soap.

In case of contact with the eyes: rinse them with water for an adequate amount of time and keeping the eyelids open, then immediately consult an ophthalmologist. Protect the uninjured eye.

In case of ingestion: DO NOT induce vomiting.

In case of inhalation: take the injured person to fresh air and keep him warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation can produce a burning sensation, cough, difficulty breathing and sore throat. Contact with the skin produces redness, burns and pain. Contact with eyes produces severe redness, pain and deep burns. Ingestion causes severe irritation or chemical burns in the mouth, throat, esophagus and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, consult a doctor immediately (if possible show the instructions for use or the safety data sheet).

Treatment: The severity of injuries and the prognosis of intoxication are directly dependent on the concentration and duration of exposure. Symptomatic treatment

SECTION 5. Firefighting measures

5.1. Extinguishing media

The product is not flammable. In the event of a large fire, all extinguishing agents are permitted. Unsuitable extinguishing media: none in particular

5.2. Special hazards arising from the substance or mixture

Do not inhale the gases produced by the explosion and combustion

5.3. Advice for firefighters

Use suitable respiratory equipment. Collect contaminated water used to extinguish the fire separately. Do not discharge it into the sewer system. If feasible from a safety perspective, move undamaged containers from the area of immediate



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#5/17

In conformity to Regulation (EU) 2015/830

danger

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Move away from the area surrounding the spill or release. Wear a mask, gloves and protective clothing.

6.1.2 For emergency responders:

Eliminate all open flames and possible sources of ignition. Not smoking. Provide adequate ventilation. Evacuate the danger area and, if necessary, consult an expert.

6.2. Environmental precautions

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities. Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing (for specifications refer to section 8.2. SDS) Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert materia or sucked it. Prevent it from entering the sewer system.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

Wash with plenty of water

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapors. Do not use empty containers before they have been cleaned. Before the transfer operations make sure that there are no incompatible residual materials in the containers. Contaminated clothing must be replaced before entering the dining areas. At work do not eat or drink. See also paragraph 8 for recommended protective devices.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#6/17

In conformity to Regulation (EU) 2015/830

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with care. Store in a well-ventilated place, away from heat sources (7-30 $^{\circ}$ C) and in the original, well-closed containers

Manufacture of food products:

Handle with care. Store in a well-ventilated place, away from heat sources (7-30 $^{\circ}$ C) and in the original, well-closed containers

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a well-ventilated place, away from heat sources (7-30 ° C) and in the original, well-closed containers

See the annex exposure scenario.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

Sodium hydroxide:

Limit value – Eight hours

(ppm)/(mg/m3)

Austria: x/2 inhalable aerosol

Belgium: x/2 (1) Denmark: x/2 France: x/2 Hungary: x/2

Japan (JSOH): x/2(1)

Latvia: x/0,5 Poland: x/0,5 Romania: x/1 Spain: x/2 Sweden: x/1 (1)

Switzerland: x/2 inhalable aerosol (MAK)

USA - OSHA: x/2

Limit Value - Short Term

(ppm)/(mg/m3) Austalia: x/2(1)

Austria: x/4 inhalable aerosol Canada - Ontario: x/2(1) Canada – Québec: x/2(1)

Denmark: x/2 Finland: x/2(1) Hungary: x/2 Ireland: x/2(1) New Zealand: x/2(1)

People's Republic of China: x/2(1)

Poland: x/1 Romaniax/3(1) Singapore: x/2 South Korea: x/2(1) Sweden: x/2(1)(2)

Switzerland: x/2 inhalable aerosol (MAK)

USA – NIOSH: x/2(1) United Kingdom: x/2



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#7/17

In conformity to Regulation (EU) 2015/830

Remarks:

Australia: (1) Celling limit value

Canada – Ontario: (1) Celling limit value Canada – Québec: (1) Celling limit value

Finland: (1) Celling limit value

Ireland: (1) 15 minutes reference period

Japan: (1) Occupational exposure limit ceiling: Reference value to the maximal exposure concentration of the

substance during a working day New Zealand: (1) Celling limit value

People's Republic of China: (1) Celling limit value

South Korea: (1) Celling limit value Romania: (1) 15 minutes average value

Sweden: (1) Inhalable dust (2) Celling limit value USA – NIOSH: (1) Celling limit value (15 min)

Argentine: CMP-C: 2 mg mg/m3

Czech Republic: PEL 1 mg/m3/ NPK-P 2 mg/m3

Italy: OEL: ACGIH -STEL: C 2.0 mg/m3; Tipo OEL: ACGIH - STEL: C2 mg/m3 - Note: URT, eye, and skin irr

Estonia: short-term esposure limit (maximum chemical substance average allowable concentration in inhaled air - 15 minutes) 2 mg/m3(Ceiling limit" means a maximum permissible continuous concentration of 15 minutes in the air for rapidly acting substances)

Norvay: ceiling value (a moment value that indicates the maximum concentration of a chemical in the breathing zone

that should not be exceeded) 2 mg/m3

Lithuania: NRD 2 mg/m3 Slovakia: NPEL 2 mg/m3

South Africa: Short Term OEL-CL 2 mg/m3

Sodium hypochlorite:

Substance: Chlorine (CAS 7782-50-0)

Limit value - Eight hours

 $(ppm)/(mg/m^3)$

Austria: 0,5/1,5

Canada - Ontario: 0,5/-Canada - Québec: 0,5/1,5

Denmark: 0,5/1,5

Germany (AGS): 0,5/1,5 Germany (DFG): 0,5/1,5

Israel: 0,5/1,5 Japan: 0.5/x

Japan - JSOH: 0,5(1)/1,5(1)

Latvia: 0,3/1

New Zealand: 0,5/1,5

Poland: x/0,7 Singapore: 0,5/1,5 South Korea: 0,5/1,5 Switzerland: 0,5/1,5

Limit value - Short term

 $(ppm)/(mg/m^3)$

Australia: 1(1)/3(1) Austria: 0,5/1,5 Belgium: 0,5/1,5 Canada – Ontario: 1/-Canada - Québec: 1/2,9

Denmark: 1/3

European Union: 0,5(1)/1,5(1)



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#8/17

In conformity to Regulation (EU) 2015/830

Finland: 0,5(1)/1,5(1) France: 0,5/1,5

Germany (AGS): 0,5(1)/1,5(1) Germany (DFG): 0,5/1,5

Hungary: x/1,5 Italy: 0,5/1,5 Latvia: 0,5(1)/1,5(1) New Zealand: 1/2,9

People's Republic of China: x/1(1)

Poland: x/1,5

Romania: 0,5(1)/1,5(1) Singapore: 1/2,9 South Korea: 1/3 Spain: 0,5/1,5

Sweden: 0,5(1)/1,5(1) Switzerland: 0,5/1,5 The Netherlands: x/1,5 Turkey: 0,5(1)/1,5(1) USA-NIOSH: 0,5(1)/1,42(1) USA-OSHA: 1(1)/3(1) United Kingdom: 0,5/1,5

Remarks

Australia - People's Republic of China - USA-NIOSH: 1) Ceiling limit value

European Union: Bold-type: Indicative Occupational Exposure Limit Values and Limit Values for Occupational Exposure Binding Occupational Exposure Limit Value - BOELV ~ (1) 15 minutes average value (for references see bibliography)

Finland - Germany (AGS) - Latvia- Romania - Turkey: (1) 15 minutes average value

France: Bold type: Restrictive statutory limit values Germany (DFG): STV 15 minutes average value

Ireland: (1) 15 minutes reference period

Japan – JSOH: (1) Occupational exposure limit ceiling: Reference value to the maximal exposure concentration of the

substance during a working day Sweden: (1) Short-term limit value

Polycarboxylate:

TWA respirable dust fraction (DOW IHG): 0,5 mg/m3

- Substance: Sodium hydroxide

DNEL

Systemic effects Short term Workers inhalation = 1 (mg/m3) Systemic effects Short term Consumers inhalation = 1 (mg/m3) Local effects Short term Workers inhalation = 1 (mg/m3) Local effects Short term Consumers inhalation = 1 (mg/m3)

- Substance: Sodium hypochlorite

DNEL

Systemic effects Long term Workers inhalation = 1,55 (mg/m3) Systemic effects Long term Consumers inhalation = 1,55 (mg/m3)

Systemic effects Short term Workers inhalation = 3,1 (mg/m3)

Systemic effects Short term Consumers inhalation = 3,1 (mg/m3)

Local effects Long term Workers inhalation = 1,55

Local effects Long term Consumers inhalation = 1,55 (mg/m3)

Local effects Short term Workers inhalation = 3,1 (mg/m3)

Local effects Short term Consumers inhalation = 3,1 (mg/m3)

PNEC

Sweet water = 0,00021 (mg/l) Sea water = 0,000042 (mg/l)

AEB

SAFETY DATA SHEET

IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

#9/17

In conformity to Regulation (EU) 2015/830

intermittent emissions = 0,00026 (mg/l) STP = 0,03 (mg/l)

8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

Safety goggles with side protection for chemicals (EN166).

- (b) Skin protection
 - (i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product, wear full protective clothing (generic workwear / antacid, safety shoes S3-EN ISO 20345) or other protective equipment, according to the instructions of the employer

(c) Respiratory protection

Not needed for normal use. None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. During manual operations in case of insufficient ventilation, use mask with gas filters and inorganic vapors - Grey , Class 3 , B (EN 405) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic

(d) Thermal hazards
No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	clear yellow liquid	
Odour	chlorine	



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

10 / 17

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
Odour threshold	not determined as considered not relevant for the characterization of the product	
рН	> 12 (20 ° C); > 12 (20 ° C, sol% 5)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	1.20 ± 0.05 (20° C)	
Solubility	in water	
Water solubility	miscible in all proportions	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Mixture containing sodium hypochlorite. It can be corrosive to metals. It is not pyrophoric.

10.2. Chemical stability

Stable under the indicated conditions of use and storage

AEB

SAFETY DATA SHEET

IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

11 / 17

In conformity to Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

Very exothermic reaction with acids, amines

10.4. Conditions to avoid

Light, heat.

10.5. Incompatible materials

Acids Amines Metals Combustible materials

10.6. Hazardous decomposition products

Toxic gas (chlorine)

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = ∞ ATE(mix) dermal = ∞ ATE(mix) inhal = ∞

(a) acute toxicity: Sodium hydroxide: Ingestion - LD50 rat (mg / kg / 24h bw): nd

Skin contact - LC50 rabbit (mg / kg / 24h bw): 1350

Inhalation - LD50 rat (mg / I / 4h): nd

Sodium hypochlorite: Ingestion - LD50 rat (mg / kg / 24h bw):> 5000

Skin contact - LC50 rat / rabbit (mg / kg / 24h bw):> 20000

Inhalation - LD50 rat (mg / I / 4h):> 10, 5

Polycarboxylate: Ingestion - LD50 rat (mg / kg / 24h bw):> 5000

Contact with skin - LD50 rabbit (mg / kg / 24h bw):> 5000

Inhalation - LC50 rat (mg / I / 4h): nd

(b) skin corrosion/irritationCorrosive product: causes severe skin burns and eye damage.

Sodium hydroxide: Corrosive Sodium hypochlorite: Corrosive Polycarboxylate: Non-corrosive Sodium hydroxide: Irritating Sodium hypochlorite: Irritating Polycarboxylate: Slightly irritating

(c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage. - If brought into contact with eyes, the product causes serious damages to eyes, such as an opaque cornea or injury to iris.

Sodium hydroxide: Corrosive Sodium hypochlorite: Corrosive



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

12 / 17

In conformity to Regulation (EU) 2015/830

Polycarboxylate: Non-corrosive Sodium hydroxide: Irritating Sodium hypochlorite: Irritating Polycarboxylate: Slightly irritating

(d) respiratory or skin sensitization: Sodium hydroxide: Not sensitizing

Sodium hypochlorite: Not sensitizing Polycarboxylate: Non-sensitizing

(e) germ cell mutagenicity: Sodium hydroxide: Not mutagenic

Sodium hypochlorite: Not mutagenic Polycarboxylate: Non-mutagenic

(f) carcinogenicity: Sodium hydroxide: Not carcinogenic

Sodium hypochlorite: Not carcinogenic Polycarboxylate: Non-carcinogenic

(g) reproductive toxicity: Sodium hydroxide: Non-toxic for reproduction

Sodium hypochlorite: Non-toxic for reproduction

Polycarboxylate: Not available

(h) specific target organ toxicity (STOT) single exposure: Sodium hydroxide: The substance can be absorbed into the body by inhalation of its aerosols and by ingestion.

Sodium hypochlorite: It can be irritating to the respiratory tract

Polycarboxylate: Not available

(i) specific target organ toxicity (STOT) repeated exposureSodium hydroxide: The substance can be absorbed into the body by inhalation of its aerosols and by ingestion. The symptoms of pulmonary edema often do not manifest themselves before a few hours and are exacerbated by physical exertion. Rest and medical observation are therefore essential

Sodium hypochlorite: Not classified Polycarboxylate: Not available

(j) aspiration hazard: Sodium hydroxide: Not available

Sodium hypochlorite: Not available Polycarboxylate: Not available

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

Sodium hydroxide:

Acute toxicity - LC50 fish (mg / I / 96h): 45

Acute toxicity - crustaceans EC50 (mg / I / 48h): 40 Acute toxicity algae ErC50 (mg / I / 72-96h): nd

Chronic toxicity - NOEC fish (mg / I): nd

Chronic toxicity - crustaceans NOEC (mg / I): nd

Chronic toxicity NOEC algal (mg / l): nd

C(E)L50 (mg/I) = 45

Sodium hypochlorite:

cute toxicity - LC50 freshwater fish (mg / I / 96h): 0.060 Acute toxicity - LC50 seawater fish (mg / I / 96h): 0.032

Acute toxicity - Daphnie EC50 (mg / I / 48h): 0.048

Acute toxicity - Daphnia Magna, fresh water EC50 (mg / I / 48h): 0.141 Acute toxicity - Ceriodaphnia dubia, fresh water EC50 (mg / I / 48h): 0.035 Acute toxicity - Cassostrea Virginica, sea water EC50 (mg / I / 48h): 0.026

Acute toxicity ErC50 algae (mg / I / 72-96h): 0.0183

Acute toxicity - Pseudokirchnerella subcapitata EC50 (mg / I / 96h): 0.04 Acute toxicity - Myriophyllum spicatum, fresh water EC50 (mg / I / 96h): 0.1



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

13 / 17

In conformity to Regulation (EU) 2015/830

Chronic toxicity - fish, sea water NOEC 28 die (mg / I): 0.04 Chronic toxicity - crustaceans NOEC 7 die (mg / I): 0,007 (oyster) Chronic toxicity Pseudokirchnerella subcapitata ErC10 (mg / I): 0.03 Chronic toxicity Pseudokirchnerella subcapitata NOEC (mg / I): 0.017 Chronic toxicity Periphyton algae, fresh water, NOEC 7 die (mg / I): 0.0021

Toxicity, sediment compartment: not classified Toxicity of the terrestrial compartment: not calssified C(E)L50 (mg/l) = 0,06 Acute toxicity M-factor = 10

Polycarboxylate:

LC50, Oncorhynchus mykiss (Rainbow trout), 96 h, 700 mg / I

EC50, Daphnia magna (Water flea), 48 h,> 1 000 mg / I

EC50, Marine algae (Skeletonema costatum), 72 h, Speed of growth, 480 mg / I

For similar material (s)

(NOEC), Daphnia magna (Large water flea), Continuous flow test, 21 d, number of offspring, 12 mg / I

For similar material (s)

MATC (Maximum Acceptable Toxicant Level), Daphnia magna (Large water flea), Continuous flow test, 21 d, number of descendants, 17 mg / I

Information on a similar product: CL50, Eisenia fetida (earthworms), 14 days,> 1 000 mg / kg

The product is dangerous for the environment as it is very toxic to aquatic organisms following acute exposure. The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Related to contained substances:

Sodium hydroxide:

Not applicable

Sodium hypochlorite:

Not applicable. It is a strong oxidant. Reacts with organic substances of soil and sediment degrading rapidly.

Polycarboxylate:

The material is expected to biodegrade very slowly (in the environment). It does not pass the OECD / EEC tests for rapid biodegradability.

12.3. Bioaccumulative potential

Related to contained substances:

Sodium hydroxide:

Not bioaccumulative

Sodium hypochlorite:

Non-bioaccumulative

LogP (calculated) = -3.42

Polycarboxylate:

Not available



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

14 / 17

In conformity to Regulation (EU) 2015/830

12.4. Mobility in soil

Related to contained substances:

Sodium hydroxide: Not applicable

Sodium hypochlorite:

Mobile in soil and sediments

Polycarboxylate: Not available

12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

12.6. Other adverse effects

No adverse effects

Regulation (EC) No 2006/907 - 2004/648

The (I) surfactant (s) content (s) in this preparation complies (comply) with (i) the biodegradability criteria as laid down in Regulation CE/648/2004 on detergents. All data are held at the disposal of the competent authorities of Member States and will be provided, at their direct request or at the request of a detergent manufacturer, to those authorities.

SECTION 13. Disposal considerations

13.1. Waste treatment methods


Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information


14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 3266



Combination packagings: per inner packaging 1 L per package 30 Kg

Inner packaging placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 1 L per package 20 Kg



ADR/RID/IMDG: LIQUIDO INORGANICO CORROSIVO, BASICO, N.A.S. (Sodio ipoclorito, Idrossido di sodio) ADR/RID/IMDG: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, Sodium hydroxide) ICAO-IATA: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite, Sodium hydroxide)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class: 8

ADR/RID/IMDG/ICAO-IATA: Label: 8+Ambiente

ADR: Tunnel restriction code: E

ADR/RID/IMDG/ICAO-IATA: Limited quantities: 1 L

IMDG - EmS: F-A, S-B







IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

15 / 17

In conformity to Regulation (EU) 2015/830

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: II

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

The transport must be carried out by authorized vehicles for the transport of dangerous goods in accordance with the requirements of the applicable Edition of the agreement A.D.R. and national provisions. The transport must be carried out in the original packaging and in packages that are made from materials resistant to content and not likely to generate with this dangerous reactions. The process of loading and unloading of dangerous goods have received adequate training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC Reg. EC 648/04: see 2.2

Reg. (EU) n. 1169/2011: see 2.2 Reg (UE) 528/2012: see.to 2.2

Seveso category:

E1 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP8 - Corrosive HP14 - Ecotoxic

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

16 / 17

In conformity to Regulation (EU) 2015/830

16.1. Other information

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 4.1. Description of first aid measures, 4.2. Most important symptoms and effects, both acute and delayed, 4.3. Indication of any immediate medical attention and special treatment needed, 5.1. Extinguishing media, 5.2. Special hazards arising from the substance or mixture, 5.3. Advice for firefighters, 6.1. Personal precautions, protective equipment and emergency procedures, 6.3. Methods and material for containment and cleaning up, 7.1. Precautions for safe handling, 7.3. Specific end use(s), 8.1. Control parameters, 8.2. Exposure controls, 10.1. Reactivity, 10.2. Chemical stability, 10.3. Possibility of hazardous reactions, 10.5. Incompatible materials, 12.1. Toxicity,

Description of hazard statements set out in paragraph 3

H290 = May be corrosive to metals.

H314 = Causes severe skin burns and eye damage.

H318 = Causes serious eye damage.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seg.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Regulation (UE) 528/2012 (Biocides) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008):

Physical hazards: On the basis of experimental data

H314 Skin. Corr. 1A: On the basis of experimental data / Calculation Method

Other hazards: Calculation Method

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable n.d.: not available

ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimat BFC: BioconCentration Factor

BOD: Biochemical Oxigen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified

Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50 COD: Chemical Oxygen Demand DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Environment Release Classes

EU/UE: European Union

IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient



IDROSAN

Issued on 10/23/2020 - Rel. # 9 on 10/23/2020

17 / 17

In conformity to Regulation (EU) 2015/830

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations

concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:
- https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances
- SDS supplier
- GESTIS DNEL Database: http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp
- GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: sec. 1,4,5,6,7,8,9,10,11,12, scenarios exposure update. Working instruction tabels attached

SUMI

Safe Use of Mixtures Information





AISE_SUMI_IS_4_2

Version 1.1, August 2018

Industrial uses; Automated task; Semi-automated task; Dedicated equipment

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

The SUMI applies to industrial uses where products are used in closed process where opportunity for exposure arises. This Safe Use Information is based on the AISE_SWED_IS_4_2.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	Wear suitable gloves.
personal protective equipment (PPE), hygiene and health evaluation	See section 8 of the SDS of this product for specifications.
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

SUMI

Safe Use of Mixtures Information





AISE_SUMI_IS_7_4_G

Version 1.1, August 2018

Industrial spraying; Automated task; Open system; Long term

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

The SUMI applies to industrial spraying products. This Safe Use Information is based on the AISE_SWED_IS_7_4.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	Wear suitable gloves and eye protection.
personal protective	See section 8 of the SDS of this product for specifications.
equipment (PPE),	
hygiene and health	
evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

SUMI

Safe Use of Mixtures Information





AISE_SUMI_IS_8b_1

Version 1.1, August 2018

Transfer and dilution of concentrated product by using dedicated dosing system

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to industrial uses where products are transferred to or diluted in a dedicated dosing system. This Safe Use Information is based on the AISE_SWED_IS_8b_1_L and AISE_SWED_IS_8b_1_S

Operational Conditions

Maximum duration	60 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	Wear suitable gloves.
personal protective equipment (PPE), hygiene and health evaluation	See section 8 of the SDS of this product for specifications.
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

SUMI

Informazioni sull'Uso Sicuro delle Miscele





AISE_SUMI_IS_10_1_G

Versione 1.1, agosto 2018

Applicazione mediante spazzola, pennelli, stracci, spugne, rulli e simili; processo automatizzato

Questo documento ha lo scopo di comunicare le condizioni per l'uso sicuro del prodotto e deve sempre essere considerato complementare alla Scheda Dati di Sicurezza e all'etichetta.

Descrizione generale del processo

Questo SUMI si applica agli usi industriali in cui il prodotto è utilizzato in processi che prevedono l'applicazione mediante spazzola, pennelli, stracci, spugne, rulli e simili. Il SUMI si basa sull' AISE_SWED_IS_10_1.

Condizioni operative

Durata massima	480 minuti/giorno
Tipo di applicazione /	Al chiuso (indoor)
Condizioni di processo	Processo svolto a temperatura ambiente
	Se il prodotto deve essere diluito, usare acqua corrente alla Temperatura massima di 45°C.
Ricambi d'aria	Nessun LEV richiesto; prevedere ventilazione generale standard base (1-3 ricambi d'aria/ora).

Misure di gestione del rischio

Condizioni e misure relative ai Dispositivi di Protezione Individuale (DPI), all'igiene e alla	Indossare guanti adatti. Proteggere gli occhi. Vedere sezione 8 della SDS del prodotto per le specifiche.
valutazione della salute.	Deve essere assicurato l'addestramento del personale per il corretto uso e la manutenzione dei DPI.
Misure di protezione	
ambientale	Evitare che sversamenti di prodotto non diluito raggiungano le fogne o le acque superficiali.
	Nel caso si applichi l'AISE SPERC 8a.1.a.v2: uso ampiamente dispersivo
	che può portare al rilascio all'impianto di trattamento municipalizzato.

Ulteriori accorgimenti di buona pratica

Non bere o mangiare Non fumare. Non usare in prossimità di fiamme libere.	
Lavare le mani dopo l'uso Evitare il contatto con pelle lesa. Non miscelare con altri prodotti.	
In caso di sversamento	Sciacquare diluendo con acqua e assorbire con panni, spugne o simili
Consigli di igiene	Seguire le istruzioni riportate in etichetta o nella scheda tecnica ed usare buone pratiche di igiene occupazionale come specificato nella sez.7 della SDS del prodotto.

Informazioni addizionali dipendenti dalla composizione del prodotto

L'etichetta e (quando richiesta) la Scheda Dati di Sicurezza contengono informazioni cruciali, addizionali e specifiche per l'utilizzo sicuro delle miscele.

Far riferimento all'etichetta e alla Scheda Dati di Sicurezza del prodotto, particolarmente per le informazioni riguardanti: classificazione di pericolo del prodotto, fragranze potenzialmente allergeniche, ingredienti significativi e valori limite di esposizione (quando disponibili).

Avvertenza

Questo è un documento per comunicare le condizioni generiche di uso sicuro per un prodotto. È responsabilità del formulatore allegare questo SUMI alla SDS del prodotto specifico che sta immettendo sul mercato.

Se nella SDS viene menzionato il codice di un SUMI (o dello SWED associato) il formulatore del prodotto dichiara che tutte le sostanze contenute nella miscela sono presenti in concentrazione tale per cui l'uso del prodotto è sicuro. Quando disponibile, l'uso sicuro del prodotto è garantito dalla valutazione dei risultati del CSA "Chemical Safety Assessment" effettuato da parte del fornitore delle materie prime. Nel caso in cui non sia stato effettuato un CSA da parte del fornitore, il formulatore ha effettuato esso stesso la valutazione di sicurezza degli ingredienti che contribuiscono alla pericolosità.

In accordo alla legislazione sulla salute del Lavoro, il datore di lavoro che utilizza prodotti valutati sicuri seguendo le condizioni del SUMI, rimane responsabile di comunicare agli impiegati le rilevanti informazioni di utilizzo. Quando si sviluppano le istruzioni per i lavoratori, i SUMI dovrebbero essere sempre considerati in combinazione con le SDS e le etichette dei prodotti.

Questo documento è stato reso disponibile da A.I.S.E. e tradotto da Assocasa Federchimica con solo scopo informativo. Il formulatore utilizza il contenuto del documento a suo rischio.

Assocasa Federchimica declina ogni responsabilità verso qualsiasi persona o entità per qualsiasi perdita, danno, indipendentemente dal tipo (effettivo, consequenziale, punitivo o altro), lesione, rivendicazione, responsabilità o altra causa di qualsiasi tipo o carattere basato su o risultante dall'uso (anche parziale) del contenuto di questo documento.

SUMI

Safe Use of Mixtures Information





AISE_SUMI_IS_13_3_G

Version 1.1, August 2018

Industrial uses; Treatment of articles by dipping or pouring

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to industrial uses where articles are treated by dipping or pouring. This Safe Use Information is based on the AISE_SWED_IS_13_3.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	Wear suitable gloves and eye protection.
personal protective	See section 8 of the SDS of this product for specifications.
equipment (PPE),	
hygiene and health	
evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

SUMI

Safe Use of Mixtures Information





AISE_SUMI_PW_4_1

Version 1.1, August 2018

Professional uses; Semi-closed system

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

The SUMI applies to professional uses where products are used in closed process where opportunity for exposure arises. This Safe Use Information is based on the AISE_SWED_PW_4_1.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	See section 8 of the SDS of this product for specifications.
personal protective	
equipment (PPE),	Training of workers in relation to proper use and maintenance of PPEs
hygiene and health	must be ensured.
evaluation	
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

SUMI

Safe Use of Mixtures Information





AISE_SUMI_PW_8a_1_G

Version 1.1, August 2018

Transfer of product to a container (bottle/bucket/machine)

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle or bucket. Safe Use Information is based on the AISE_SWED_PW_8a_1_L and AISE_SWED_PW_8a_1_S.

Operational Conditions

Maximum duration	60 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	Wear suitable gloves and eye protection.
personal protective	See section 8 of the SDS of this product for specifications.
equipment (PPE),	
hygiene and health	
evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

SUMI

Informazioni sull'Uso Sicuro delle Miscele





AISE_SUMI_PW_10_2_G

Versione 1.1, agosto 2018

Usi professionali; Spazzolamento/strofinamento dopo applicazione a spruzzo (trigger) o spazzolamento/strofinamento con utensili

Questo documento ha lo scopo di comunicare le condizioni per l'uso sicuro del prodotto e deve sempre essere considerato complementare alla Scheda Dati di Sicurezza e all'etichetta.

Descrizione generale del processo

Questo SUMI si applica agli usi professionali quando il prodotto è spazzolato/strofinato su una superficie, con limitata esposizione delle mani, con applicazione a spruzzo o mediante utensili come stracci. Il SUMI si basa sull' AISE_SWED_PW_10_2.

Condizioni operative

Durata massima	480 minuti/giorno
Tipo di applicazione /	Al chiuso (indoor)
Condizioni di processo	Processo svolto a temperatura ambiente
	Se il prodotto deve essere diluito, usare acqua corrente alla Temperatura massima di 45°C.
Ricambi d'aria	Nessun LEV richiesto; prevedere ventilazione generale standard base (1-3 ricambi d'aria/ora).

Misure di gestione del rischio

Condizioni e misure relative ai Dispositivi di Protezione Individuale (DPI), all'igiene e alla	Indossare guanti adatti. Proteggere gli occhi. Vedere sezione 8 della SDS del prodotto per le specifiche.
valutazione della salute.	Deve essere assicurato l'addestramento del personale per il corretto uso e la manutenzione dei DPI.
Misure di protezione ambientale	Evitare che sversamenti di prodotto non diluito raggiungano le acque superficiali.
	Nel caso si applichi l'AISE SPERC 8a.1.a.v2 : uso ampiamente dispersivo che può portare al rilascio all'impianto di trattamento municipalizzato.

Ulteriori accorgimenti di buona pratica

Non bere o mangiare Non fumare. Non usare in prossimità di fiamme libere.	
Lavare le mani dopo l'uso Evitare il contatto con pelle lesa. Non miscelare con altri prodotti.	
In caso di sversamento	Sciacquare diluendo con acqua e assorbire con panni, spugne o simili.
Consigli di igiene	Seguire le istruzioni riportate in etichetta o nella scheda tecnica ed usare buone pratiche di igiene occupazionale come specificato nella sez.7 della SDS del prodotto.

Informazioni addizionali dipendenti dalla composizione del prodotto

L'etichetta e (quando richiesta) la Scheda Dati di Sicurezza contengono informazioni cruciali, addizionali e specifiche per l'utilizzo sicuro delle miscele.

Far riferimento all'etichetta e alla Scheda Dati di Sicurezza del prodotto, particolarmente per le informazioni riguardanti: classificazione di pericolo del prodotto, fragranze potenzialmente allergeniche, ingredienti significativi e valori limite di esposizione (quando disponibili).

Avvertenza

Questo è un documento per comunicare le condizioni generiche di uso sicuro per un prodotto. È responsabilità del formulatore allegare questo SUMI alla SDS del prodotto specifico che sta immettendo sul mercato.

Se nella SDS viene menzionato il codice di un SUMI (o dello SWED associato) il formulatore del prodotto dichiara che tutte le sostanze contenute nella miscela sono presenti in concentrazione tale per cui l'uso del prodotto è sicuro. Quando disponibile, l'uso sicuro del prodotto è garantito dalla valutazione dei risultati del CSA "Chemical Safety Assessment" effettuato da parte del fornitore delle materie prime. Nel caso in cui non sia stato effettuato un CSA da parte del fornitore, il formulatore ha effettuato esso stesso la valutazione di sicurezza degli ingredienti che contribuiscono alla pericolosità.

In accordo alla legislazione sulla salute del Lavoro, il datore di lavoro che utilizza prodotti valutati sicuri seguendo le condizioni del SUMI, rimane responsabile di comunicare agli impiegati le rilevanti informazioni di utilizzo. Quando si sviluppano le istruzioni per i lavoratori, i SUMI dovrebbero essere sempre considerati in combinazione con le SDS e le etichette dei prodotti.

Questo documento è stato reso disponibile da A.I.S.E. e tradotto da Assocasa Federchimica con solo scopo informativo. Il formulatore utilizza il contenuto del documento a suo rischio.

Assocasa Federchimica declina ogni responsabilità verso qualsiasi persona o entità per qualsiasi perdita, danno, indipendentemente dal tipo (effettivo, consequenziale, punitivo o altro), lesione, rivendicazione, responsabilità o altra causa di qualsiasi tipo o carattere basato su o risultante dall'uso (anche parziale) del contenuto di questo documento.

SUMI

Informazioni sull'Uso Sicuro delle Miscele





AISE_SUMI_PW_11_2_G

Versione 1.1, agosto 2018

Usi professionali; Applicazione a spruzzo (trigger)

Questo documento ha lo scopo di comunicare le condizioni per l'uso sicuro del prodotto e deve sempre essere considerato complementare alla Scheda Dati di Sicurezza e all'etichetta.

Descrizione generale del processo

Questo SUMI si applica agli usi professionali con applicazione a spruzzo meccanico. Il SUMI si basa sull' AISE_SWED_PW_11_2.

Condizioni operative

Durata massima	60 minuti/giorno
Tipo di applicazione /	Al chiuso (indoor)
Condizioni di processo	Processo svolto a temperatura ambiente
	Se il prodotto deve essere diluito, usare acqua corrente alla Temperatura massima di 45°C.
Ricambi d'aria	Nessun LEV richiesto; prevedere ventilazione generale standard base (1-3
	ricambi d'aria/ora).

Misure di gestione del rischio

Condizioni e misure relative ai Dispositivi di Protezione Individuale (DPI), all'igiene e alla	Indossare guanti adatti. Proteggere gli occhi Vedere sezione 8 della SDS del prodotto per le specifiche.
valutazione della salute.	Deve essere assicurato l'addestramento del personale per il corretto uso e la manutenzione dei DPI.
Misure di protezione ambientale	Evitare che sversamenti di prodotto non diluito raggiungano le acque superficiali.
	Nel caso si applichi l'AISE SPERC 8a.1.a.v2 : uso ampiamente dispersivo che può portare al rilascio all'impianto di trattamento municipalizzato.

Ulteriori accorgimenti di buona pratica

Non bere o mangiare Non fumare. Non usare in prossimità di fiamme libere.	
Lavare le mani dopo l'uso Evitare il contatto con pelle lesa. Non miscelare con altri prodotti.	
In caso di sversamento	Sciacquare diluendo con acqua e assorbire con panni, spugne o simili.
Consigli di igiene	Seguire le istruzioni riportate in etichetta o nella scheda tecnica ed usare buone pratiche di igiene occupazionale come specificato nella sez.7 della SDS del prodotto.

Informazioni addizionali dipendenti dalla composizione del prodotto

L'etichetta e (quando richiesta) la Scheda Dati di Sicurezza contengono informazioni cruciali, addizionali e specifiche per l'utilizzo sicuro delle miscele.

Far riferimento all'etichetta e alla Scheda Dati di Sicurezza del prodotto, particolarmente per le informazioni riguardanti: classificazione di pericolo del prodotto, fragranze potenzialmente allergeniche, ingredienti significativi e valori limite di esposizione (quando disponibili).

Avvertenza

Questo è un documento per comunicare le condizioni generiche di uso sicuro per un prodotto. È responsabilità del formulatore allegare questo SUMI alla SDS del prodotto specifico che sta immettendo sul mercato.

Se nella SDS viene menzionato il codice di un SUMI (o dello SWED associato) il formulatore del prodotto dichiara che tutte le sostanze contenute nella miscela sono presenti in concentrazione tale per cui l'uso del prodotto è sicuro. Quando disponibile, l'uso sicuro del prodotto è garantito dalla valutazione dei risultati del CSA "Chemical Safety Assessment" effettuato da parte del fornitore delle materie prime. Nel caso in cui non sia stato effettuato un CSA da parte del fornitore, il formulatore ha effettuato esso stesso la valutazione di sicurezza degli ingredienti che contribuiscono alla pericolosità.

In accordo alla legislazione sulla salute del Lavoro, il datore di lavoro che utilizza prodotti valutati sicuri seguendo le condizioni del SUMI, rimane responsabile di comunicare agli impiegati le rilevanti informazioni di utilizzo. Quando si sviluppano le istruzioni per i lavoratori, i SUMI dovrebbero essere sempre considerati in combinazione con le SDS e le etichette dei prodotti.

Questo documento è stato reso disponibile da A.I.S.E. e tradotto da Assocasa Federchimica con solo scopo informativo. Il formulatore utilizza il contenuto del documento a suo rischio.

Assocasa Federchimica declina ogni responsabilità verso qualsiasi persona o entità per qualsiasi perdita, danno, indipendentemente dal tipo (effettivo, consequenziale, punitivo o altro), lesione, rivendicazione, responsabilità o altra causa di qualsiasi tipo o carattere basato su o risultante dall'uso (anche parziale) del contenuto di questo documento.

SUMI

Safe Use of Mixtures Information





AISE_SUMI_PW_11_3_G

Version 1.1, August 2018

Professional uses; Spraying

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses of products in a spraying application. This Safe Use Information is based on the AISE_SWED_PW_11_3.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	Wear suitable gloves and eye protection.
personal protective	See section 8 of the SDS of this product for specifications.
equipment (PPE),	
hygiene and health	
evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

SUMI

Safe Use of Mixtures Information





AISE_SUMI_PW_13_1_G

Version 1.1, August 2018

Professional uses - Treatment of articles by dipping, soaking or pouring

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses where articles are treated by dipping or pouring. This Safe Use Information is based on the AISE_SWED_PW_13_1.

Operational Conditions

Maximum duration	60 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per
	hour). No LEV required.

Measures related to	Wear suitable gloves and eye protection.
personal protective	See section 8 of the SDS of this product for specifications.
equipment (PPE), hygiene and health evaluation	
	Training of workers in relation to proper use and maintenance of PPEs
	must be ensured.
Environmental	Prevent that undiluted product reaches surface waters.
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use
	resulting in release to municipal sewage treatment plant.

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling.

If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself.

Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product.

This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

WORKING ISTRUCTION TABLE



This tab provides instructions for appropriate and safe use of products and proper management of emergency situations for cleaning staff/users.

Attached to MSDS rel#9 del 10/23/20

Use description	Use in batch and other process (syn- thesis) where opportunity for exposure arises [PROC4], Industrialspraying [PROC7], Transfer of substance or mixture (charging and discharging) at dedicated facilities [PROC8B], Transfer of substance or mixture (charging and discharging) at nondedicated facilities [PROC8A], Application with rollers or brushes [PROC10], Non industrial spraying[PROC11], Treatment of articles by dipping and pouring [PROC13]
Product name	IDROSAN
Classification of the product (100%)	H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life H411 - Toxic to aquatic life with long lasting effects. EUH031 - Contact with acids liberates toxic gas (CI2)
Classification of the diluted product (maximum use	At maximux concentration of use (5%, tq) the product is classified:
[*] concentration)	H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H412 -Harmful to aquatic life with long lasting effects.
Handling of the product (100%)	Avoid contact and inhalation of vapors
	Wear protective gloves/clothing and eye/face protection. At work do not eat or drink.
Handling of the diluted product	Avoid contact and inhalation of vapors
	Wear protective gloves/clothing and eye/face protection. At work do not eat or drink.
DPI required concentrated product (racking, concentrated use, spillage)	Chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3), safety glasses (EN 166).
Diluited product	Chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3), safety glasses (EN 166).

In case of emergency (accidents involving exposure to the product)	Immediately inform the customer. Immediately inform the employer. Contact Poisons Centres tel. number in 1.4 section of the MSDS
Accidental release large quantities measures: concentrated product	Wear gloves, mask and protective clothing (for specifications refer to section 8.2. SDS) Possibly absorb it with inert materia or sucked it. After wiping up, wash with water the area and materials involved
Diluited product	Wear gloves and protective clothing (for specifications refer to section 8.2. SDS). Wash with water the area and materials involved
Storage of the product	Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.
In case of accidents, emergency or fire	Immediately inform the customer. Follow company emergency instruction.