#### SAFETY DATA SHEET

**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#1/11

In conformity to Regulation (EU) 2015/830

# SECTION 1. Identification of the substance/mixture and of the company/enterprise

#### 1.1. Product identifier

Product name: NOX Q

Product code: refer to sales department

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Antioxidant food additive

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Process aid for enological use

Not recommended uses

Do not use for purposes other than those listed

## 1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy

Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA 111 N Cluff Avenue Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

0 1

AEB AFRICA (PTY) LTD

18 Track Crescent, Cor. Station Road

Montague Gardens 7441 Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD 178A Wakaden Street Griffith NSW 2680

T: 1300 704 971

Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

# 1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

\_\_\_\_\_

AEB BIOCHEMICAL USA

Switchboard: +1 2096258139 (GMT -8; Language: English)



**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#2/11

In conformity to Regulation (EU) 2015/830

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

\_\_\_\_\_\_

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

# **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07

Hazard Class and Category Code(s):

Eye Irrit. 2

Hazard statement Code(s):

H319 - Causes serious eye irritation.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours.

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS07 - Warning

Hazard statement Code(s):

H319 - Causes serious eye irritation.

Supplemental Hazard statement Code(s):

EUH031 - Contact with acids liberates toxic gas (SO2)

Precautionary statements:

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

# Contains:

Information concerning the components: mix of ammonium bisulfite 37.7% - (<Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre expressed as SO2>in compliance with Regulation (EU) No 1169/2011 - Annex II and subsequent additions and modifications), quebracho tannin.

Only for professional use. Food use, oenological use. In accordance with current regulations on the specific matter.





**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#3/11

In conformity to Regulation (EU) 2015/830

#### 2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

# SECTION 3. Composition/information on ingredients

#### 3.1 Substances

Irrilevant

#### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACh
Ammonium bisulfite	> 30 <= 50%	EUH031; Eye Irrit. 2, H319		10192-30-0	233-469-7	01-2119537 321-49-xxxx

# SECTION 4. First aid measures

# 4.1. Description of first aid measures

#### Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Take off immediately contaminated clothing.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

# **SECTION 5. Firefighting measures**

#### SAFETY DATA SHEET

**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#4/11

In conformity to Regulation (EU) 2015/830

#### 5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

# 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

# **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear mask, gloves and protective clothing.

# 6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Privide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

# 6.2. Environmental precautions

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities.

Dispose of the waste material in compliance with the regulations

# 6.3. Methods and material for containment and cleaning up

#### 6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert materia or sucked it.

Prevent it from entering the sewer system.

## 6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

#### 6.3.3 Other information:

None in particular.



**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#5/11

In conformity to Regulation (EU) 2015/830

#### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

# SECTION 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

Wear protective gloves/protective clothing/eye protection/face protection.

At work do not eat or drink.

See also paragraph 8 below.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

## 7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Manufacture of food products:

Handle with care.

Store in a clean, dry, ventilated area away from heat and direct sunlight.

Keep container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

# SECTION 8. Exposure controls/personal protection

# 8.1. Control parameters

- Substance: Ammonium bisulfite

DNEL

Systemic effects Long term Workers inhalation = 10 (mg/m3)

Systemic effects Long term Consumers inhalation = 69 (mg/m3)

Systemic effects Long term Consumers oral = 9 (mg/kg bw/day)

Local effects Long term Consumers oral = 0,91 (mg/kg bw/day)

**PNEC** 

Sweet water = 1,04 (mg/I)

Sea water = 0.14 (mg/I)

STP = 78,6 (mg/l)

## 8.2. Exposure controls









Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

#### SAFETY DATA SHEET

**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#6/11

In conformity to Regulation (EU) 2015/830

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

# 8.2.2 Individual protection measures:

# (a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

# (b) Skin protection

#### (i) Hand protection

When handling the pure product use protective rubber or latex gloves, or other protective equipment, according to the instructions of the RSPP

#### (ii) Other

When handling the pure product, wear full protective clothing (generic workwear) or other protective equipment, according to the instructions of the RSPP

#### (c) Respiratory protection

Not needed for normal use.

During manual operations in case of insufficient ventilation, use adequate protection mask (EN 143) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic

## (d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

# **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Brown thick liquid	
Odour	not determined as considered not relevant for the characterization of the product	
Odour threshold	not determined as considered not relevant for the characterization of the product	
рН	6,0 ± 0,5 (20°C; sol 1%)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	



# NOX Q

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#7/11

# In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	1,30 ± 0,05 (20°C)	
Solubility	not determined as considered not relevant for the characterization of the product	
Water solubility	not determined as considered not relevant for the characterization of the product	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

# 9.2. Other information

No data available.

# **SECTION 10. Stability and reactivity**

# 10.1. Reactivity

No reactivity hazards

# 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

# 10.3. Possibility of hazardous reactions

There are no hazardous reactions

# 10.4. Conditions to avoid

Nothing to report

# 10.5. Incompatible materials

Nothing in particular

#### SAFETY DATA SHEET

**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#8/11

In conformity to Regulation (EU) 2015/830

## 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

# SECTION 11. Toxicological information

# 11.1. Information on toxicological effects

ATE(mix) oral =  $\infty$ ATE(mix) dermal =  $\infty$ ATE(mix) inhal =  $\infty$ 

(a) acute toxicity: Ammonium bisulfite: Ingestion-rat LD50 (mg/kg/bw 12:00 am): > 2000

Skin contact-LC50 rat/coniglio (mg/kg/bw 12:00 am): > 2000

Inhalation-rat LD50 (mg/l/4:00): > 5.5

(b) skin corrosion/irritationAmmonium bisulfite: Non-corrosive

Ammonium bisulfite: Non-irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours.

Ammonium bisulfite: Non-corrosive Ammonium bisulfite: Irritating

- (d) respiratory or skin sensitization: Ammonium bisulfite: Non-sensitizing
- (e) germ cell mutagenicity: Ammonium bisulfite: Not available
- (f) carcinogenicity: Ammonium bisulfite: Non-carcinogenic
- (g) reproductive toxicity: Ammonium bisulfite: Not available
- (h) specific target organ toxicity (STOT) single exposure: Ammonium bisulfite: Not available (i) specific target organ toxicity (STOT) repeated exposureAmmonium bisulfite: Not available
- (j) aspiration hazard: Ammonium bisulfite: Not available

# **SECTION 12. Ecological information**

# 12.1. Toxicity

Ammonium bisulfite:

Acute toxicity-fish LC50 (mg/l/83d): 316 Acute toxicity-crustacea EC50 (mg/l/48 h): 89 Acute algae toxicity ErC50 (mg/l/72-69): 43.8

Use according to good working practices and avoid to disperse the product into the environment.

# 12.2. Persistence and degradability

Related to contained substances: Ammonium bisulfite: Not available

# 12.3. Bioaccumulative potential

Related to contained substances:
Ammonium bisulfite:



**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#9/11

In conformity to Regulation (EU) 2015/830

Not available

# 12.4. Mobility in soil

Related to contained substances: Ammonium bisulfite: Not available

#### 12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

#### 12.6. Other adverse effects

No adverse effects

# SECTION 13. Disposal considerations

## 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations

# SECTION 14. Transport information

# 14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

# 14.2. UN proper shipping name

None

# 14.3. Transport hazard class(es)

None

# 14.4. Packing group

None

#### 14.5. Environmental hazards

None

#### SAFETY DATA SHEET

**NOX Q** 

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

# 10 / 11

In conformity to Regulation (EU) 2015/830

## 14.6. Special precautions for user

No data available.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

# SECTION 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC Reg. EC 648/04: see 2.2

Reg. (EU) n. 1169/2011: see 2.2

REGULATION (EU) No 1357/2014 - waste: HP4 - Irritant — skin irritation and eye damage

## 15.2. Chemical safety assessment

Chemical safety assessment was carried out by the supplier

# **SECTION 16. Other information**

## 16.1. Other information

Description of hazard statements set out in paragraph 3 H319 = Causes serious eye irritation.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008): calculation method

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable n.d.: not available

ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

Agreement concerning the international Carriage of Dangerous Goods by

ATE: Acute Toxicity Estimat



# **NOX Q**

Issued on 05/08/2018 - Rel. # 1 on 05/08/2018

#11/11

In conformity to Regulation (EU) 2015/830

BFC: BioconCentration Factor BOD: Biochemical Oxigen Demand CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified

Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50 COD: Chemical Oxygen Demand DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

**ERC:** Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient NOEC: No Observed Effect Concentration OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations

concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure

STOT (SE): Single Exposure STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

#### References and Sources:

- ECHA Registered Substances:
- https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances
- SDS supplier
- GESTIS DNEL Database: http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp
- GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

\*\*\* this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: first issue.