

## **SECTION 1. Identification of the substance/mixture and of the company/enterprise**

### **1.1. Product identifier**

Product name : QUICKGEL

Product code: refer to sales department

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Clarifying Agents

Sectors of use:

Manufacture of food products[SU4]

Product category:

Process aid for enological use

Not recommended uses

Do not use for purposes other than those listed

### **1.3. Details of the supplier of the safety data sheet**

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy

Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: [info@aeb-group.com](mailto:info@aeb-group.com) - Internet: [www.aeb-group.com](http://www.aeb-group.com)

E-mail tecnico competente/technical dept.: [sds@aeb-group.com](mailto:sds@aeb-group.com)

---

AEB USA

111 N Cluff Avenue

Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: [info@aebusa.com](mailto:info@aebusa.com) - Internet: [www.aeb-group.com](http://www.aeb-group.com)

---

AEB AFRICA (PTY) LTD

18 Track Crescent, Cor. Station Road

Montague Gardens 7441

Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: [info@aeb.co.za](mailto:info@aeb.co.za) - Internet: [www.aeb-group.com](http://www.aeb-group.com)

---

AEB OCEANIA PTY LTD

178A Wakaden Street

Griffith NSW 2680

T: 1300 704 971

Email: [aebocania@aeb-group.com](mailto:aebocania@aeb-group.com) - Internet: [www.aeb-group.com](http://www.aeb-group.com)

Produced by

AEB SpA

Via Vittorio Arici 104 S. Polo

25134 Brescia

### **1.4. Emergency telephone number**

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

---

---

AEB USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

---

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

---

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

None

Hazard Class and Category Code(s):

Non hazardous

Hazard statement Code(s):

Non hazardous

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Non hazardous

Supplemental Hazard statement Code(s):

EUH210 - Safety data sheet available on request.

Precautionary statements:

None in particular.

Contains:

Information concerning the components: activated bentonite, swine food gelatin, egg albumin (<Eggs and products thereof>in compliance with Regulation (EU) No 1169/2011 - Annex II and subsequent additions and modifications). Only for professional use. Also for oenological use. In accordance with current regulations on the specific matter.

### 2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

---

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

No dangerous substance to report.

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
ACTIVED BENTONITE substance for which there are Community workplace exposure limits	> 50 <= 100%			1302-78-9	215-108-5	

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product).:

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

### 4.2. Most important symptoms and effects, both acute and delayed

In contact with eyes it may cause reddening and tearing due to the mechanical effect of the powder

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

## **5.2. Special hazards arising from the substance or mixture**

No data available.

## **5.3. Advice for firefighters**

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

# **SECTION 6. Accidental release measures**

## **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

## **6.2. Environmental precautions**

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

## **6.3. Methods and material for containment and cleaning up**

6.3.1 Containment:

Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

## **6.4. Reference to other sections**

Refer to paragraphs 8 and 13 for more information

# **SECTION 7. Handling and storage**

## **7.1. Precautions for safe handling**

At work do not eat or drink.

See also paragraph 8 below.

## **7.2. Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabelled containers.  
Keep containers upright and safe by avoiding the possibility of falls or collisions.  
Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

## **7.3. Specific end use(s)**

Manufacture of food products:  
Handle with care.  
Store in a clean, dry, ventilated area away from heat and direct sunlight.  
Keep container tightly closed.

# **SECTION 8. Exposure controls/personal protection**

## **8.1. Control parameters**

=====

Related to contained substances:  
ACTIVED BENTONITE:  
INHALABLE, DUST

Limit value – Eight hours  
(ppm)/(mg/m<sup>3</sup>)  
Austria: x/10  
Belgium: x/10  
Denmark: x/10  
France: x/10  
Germany (AGS): x/10(1)(2)(3)  
Germany (DFG): x/4  
Hungary: x/10  
Ireland: x/10  
Singapore: x/10  
Spain: x/10  
Sweden: x/10  
Switzerland: x/10  
USA – OSHA: x/15

RESPIRABLE DUST

Limit value – Eight hours  
Austria: x/5  
Belgium: x/3  
France: x/5 respirable aerosol  
Germany (AGS): x/1,25 (1)(2)(3)(4)(5)  
Germany (DFG): x/1,5  
Hungary: x/6  
Ireland: x/4  
Spain: x/3  
Sweden: x/5  
Switzerland: x/3  
USA – OSHA: x/5

Remarks  
INHALABLE DUST

Germany (AGS): (1) Insoluble particulates (2) not applicable for ultra – fine dusts and dusts with specific toxicity (3) the limit value is a general upper limit for technical measures, as long as no specific regulations for toxic or carcinogenic substance are available

### RESPIRABLE DUST

France: Bold type: Restrictive statutory limit values

Germany (AGS): (1) Insoluble particulates (2) not applicable for ultra – fine dusts and dusts with specific toxicity (3) the limit value is a general upper limit for technical measures, as long as no specific regulations for toxic or carcinogenic substances are available (4) the limit value was derived for dusts with an average density of 2.5 mg/mg3 (5) at work areas where all technical and further measures are state of the art but the LV is still not adhered, the old LV can be applied for a transitional period until 31st December 2018 (8 h – LV: 3.0 mg/m3, 15 minutes average value: 6.0 mg/m3

Germany (DFG): Insoluble particulates

## 8.2. Exposure controls

Appropriate engineering controls:

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

### 8.2.2 Individual protection measures:

#### (a) Eye / face protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

#### (b) Skin protection

##### (i) Hand protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

##### (ii) Other

Wear normal work clothing.

#### (c) Respiratory protection

Not needed for normal use, unless otherwise provided by the employer and / or by assessments of environmental hygiene investigations

#### (d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices and avoid to disperse the product into the environment.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Fine beige powder	

Physical and chemical properties	Value	Determination method
Odour	not determined as considered not relevant for the characterization of the product	
Odour threshold	not determined as considered not relevant for the characterization of the product	
pH	9.0 ± 1.0 (20 ° C; Sol. 5%)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	0.50 - 0.65 (20 ° C)	
Solubility	not determined as considered not relevant for the characterization of the product	
Water solubility	not determined as considered not relevant for the characterization of the product	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

### 9.2. Other information

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

=====

Related to contained substances:

ACTIVED BENTONITE:

Inert - Non-reactive

## **10.2. Chemical stability**

No hazardous reaction when handled and stored according to provisions.

## **10.3. Possibility of hazardous reactions**

There are no hazardous reactions

## **10.4. Conditions to avoid**

=====

Related to contained substances:

ACTIVED BENTONITE:

Minimize dust formation in inadequately ventilated indoor areas. Slippery if wet

## **10.5. Incompatible materials**

No one in particular

## **10.6. Hazardous decomposition products**

Does not decompose when used for intended uses.

# **SECTION 11. Toxicological information**

## **11.1. Information on toxicological effects**

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: ACTIVED BENTONITE: Ingestion-rat LD50 (mg/kg/bw 24h): > 2000

Skin contact-LC50 rat/coniglio (mg/kg/bw 24h): n.a.

Inhalation-rat LD50 (mg/l/4h): > 5.27

(b) skin corrosion/irritation: ACTIVED BENTONITE: Non-corrosive

ACTIVED BENTONITE: Non-irritating

(c) serious eye damage/irritation: ACTIVED BENTONITE: Non-corrosive

ACTIVED BENTONITE: Slightly irritating

(d) respiratory or skin sensitization: ACTIVED BENTONITE: Non-sensitizing

(e) germ cell mutagenicity: ACTIVED BENTONITE: Non-mutagenic

(f) carcinogenicity: ACTIVED BENTONITE: Non-carcinogenic

(g) reproductive toxicity: ACTIVED BENTONITE: Non-toxic for reproduction

(h) specific target organ toxicity (STOT) single exposure: ACTIVED BENTONITE: Non-toxic

(i) specific target organ toxicity (STOT) repeated exposure: ACTIVED BENTONITE: Non-toxic

(j) aspiration hazard: ACTIVED BENTONITE: There are no dangers for aspiration

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system leading to digestive symptoms and abnormal bowel disorders.



Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

## SECTION 12. Ecological information

### 12.1. Toxicity

=====

Related to contained substances:

ACTIVED BENTONITE:

Acute toxicity - fish LC50 (mg / l / 96h): 16000

Acute toxicity - crustaceans EC50 (mg / l / 48h): nd

Acute algae toxicity ErC50 (mg / l / 72-96h):> 100

Use according to good working practices and avoid to disperse the product into the environment.

### 12.2. Persistence and degradability

=====

Related to contained substances:

ACTIVED BENTONITE:

Not persistent

### 12.3. Bioaccumulative potential

=====

Related to contained substances:

ACTIVED BENTONITE:

Not bioaccumulative

### 12.4. Mobility in soil

=====

Related to contained substances:

ACTIVED BENTONITE:

Not available

### 12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

### 12.6. Other adverse effects

No adverse effects

## SECTION 13. Disposal considerations

### **13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.  
Recover if possible. Operate according to local or national regulations

## **SECTION 14. Transport information**

### **14.1. UN number**

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

### **14.2. UN proper shipping name**

None

### **14.3. Transport hazard class(es)**

None

### **14.4. Packing group**

None

### **14.5. Environmental hazards**

None

### **14.6. Special precautions for user**

No data available.

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code**

Transport in bulk is not foreseen

## **SECTION 15. Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable  
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC  
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC  
Reg. EC 648/04: see 2.2  
Reg. (EU) n. 1169/2011: see 2.2

## 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

## SECTION 16. Other information

### 16.1. Other information

Points modified compared to previous release: 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.2. Label elements, 8.2. Exposure controls, 9.1. Information on basic physical and chemical properties.

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008): irrelevant

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimati

BFC: BioconCentration Factor

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand

DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity

---

STOT (RE): Repeated Exposure  
STOT (SE): Single Exposure  
STP: Sewage Treatment Plants  
SU: Sector of Use  
SVCH: Substance of Very High Concern  
TLV: Threshold Limit Value  
vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:
- <https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

\*\*\* this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: label variation.

---