AEB IMPROVEMENT THROUGH BIOTECHNOLOGY

SAFETY DATA SHEET

SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#1/11

In conformity to Regulation (EU) 2015/830

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name: SILITE NORMAL SPEED Product code: refer to sales department

Chemical Name: PERLITE

CAS: 93763-70-3 EC No: 618-970-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Filtration adjuvants

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Process aid for enological use

Not recommended uses

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy

Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA

111 N Cluff Avenue Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD

18 Track Crescent, Cor. Station Road

Montague Gardens 7441 Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD

113 Hanwood Avenue

Hanwood

NSW 2680 (Australia) Tel: +61 1300 704 971

Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by AEB IBERICA, SAU Av. Can Campanyà, 13



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#2/11

In conformity to Regulation (EU) 2015/830

08755 Castellbisbal (Barcelona)

1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB BIOCHEMICAL USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Non hazardous

Pictograms:

None

Hazard Class and Category Code(s):

Non hazardous

Hazard statement Code(s):

Non hazardous

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Non hazardous

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

None in particular.

Contains:

PERLITE



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#3/11

In conformity to Regulation (EU) 2015/830

Only for professional use

For limited use in foodstuffs: enological use

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

No dangerous substance to report.

Substance	Concentration	Classification	Index	CAS	EINECS	REACh
PERLITE				93763-70-3	618-970-4	

3.2 Mixtures

Irrilevant

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product).:

Wash immediately and thorougly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

AEB

SAFETY DATA SHEET

SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#4/11

In conformity to Regulation (EU) 2015/830

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Privide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#5/11

In conformity to Regulation (EU) 2015/830

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

At work do not eat or drink. See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Manufacture of food products:

Handle with care.

Store in a clean, dry, ventilated area away from heat and direct sunlight.

Keep container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

PERLITE:

inorganic dust ACGIH VL-8 Hours 3 mg/m3 dust out

8.2. Exposure controls









Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

AEB

SAFETY DATA SHEET

SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#6/11

In conformity to Regulation (EU) 2015/830

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

- (b) Skin protection
 - (i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not required when proper ventilation is provided. Alternatively use protective mask.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Related to contained substances:

PERLITE:

Technical measures

Minimize the generation of airborne dust. Use containment structures, local extraction ventilation or other technical systems to keep airborne levels below exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Organizational measures, for example by isolating personnel from dusty areas. Remove and wash the dirty clothes.

Respiratory protection

By prolonged exposure to concentrations of airborne dust, wear a device for respiratory protection meets the requirements of European or national legislation.

Hand protection

For prolonged or repeated skin, use suitable protective gloves. We recommend the use of gloves of PVC or rubber.

Eye protection

Use eye protection. It is advisable to use protective goggles or face screen. When working with this product, avoid wearing contact lenses.

Hygiene measures

Do not eat, drink or smoke during use. Wash at the end of each work shift and before eating, smoking or go to the toilet. Use a special cream against drying of the skin.

Skin protection

No specific requirement. For workers who suffer from dermatitis or sensitive skin, appropriate protection is recommended (e.g. protective clothing barrier cream).

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Grey-white powder	



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#7/11

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
Odour	low odour	
Odour threshold	not determined	
рН	8,1 ± 0,5 (20°C; sol. 5%)	
Melting point/freezing point	not applicable	
Initial boiling point and boiling range	not applicable	
Flash point	irrelevant	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	irrelevant	
Upper/lower flammability or explosive limits	irrelevant	
Vapour pressure	irrelevant	
Vapour density	irrelevant	
Relative density	0,08 - 0,12 (20°C)	
Solubility	not determined	
Water solubility	insoluble	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	irrelevant	
Decomposition temperature	irrelevant	
Viscosity	not determined	
Explosive properties	irrelevant	
Oxidising properties	irrelevant	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

Related to contained substances:

PERLITE:

No danger of specific reattivit associated with this product.

10.2. Chemical stability

Stable at normal temperatures and when used according to the recommendations of use.

10.3. Possibility of hazardous reactions

Not applicable.



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#8/11

In conformity to Regulation (EU) 2015/830

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

No material or material group threatens to produce a hazard.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritationbased on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: based on available data, the classification criteria are not met.
- (d) respiratory or skin sensitization: based on available data, the classification criteria are not met.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.
- (i) specific target organ toxicity (STOT) repeated exposurebased on available data, the classification criteria are not met.
 - (j) aspiration hazard: based on available data, the classification criteria are not met.

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system leading to digestive symptoms and abnormal bowel disorders.

Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

Related to contained substances:

PERLITE:

General information: this product has a low toxic. Can be detrimental to health only in large quantity.

Inhalation: high concentrations of dust can irritate the respiratory system.

Ingestion: The amount of parts that may be swallowed by accident should not cause harmful effects.

Skin contact: prolonged contact can cause dry skin.

Contact with eyes: the particles into the eyes can cause irritation and burning.



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

#9/11

In conformity to Regulation (EU) 2015/830

SECTION 12. Ecological information

12.1. Toxicity

Related to contained substances:

PERLITE:

Acute toxic-Fish

Unknown.

Acute toxic-aquatic invertebrates

Unknown.

Acute toxic-aquatic plants

Unknown.

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Degradabilit

The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substance considered bioaccumulative.

12.4. Mobility in soil

Mobility:

The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Not classified as PBT/vPvB according to current European policy.

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

Not known.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

10 / 11

In conformity to Regulation (EU) 2015/830

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Leg. 3/2/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Decree No. 14/3/2003. 65 (Classification, packaging and labeling of dangerous substances). Leg. 2/2/2002 n. 25 (risks related to chemical agents at work). Ministerial Decree Jobs 26/02/2004 (occupational exposure limits); DM 04/03/2007 (Implementation of Directive no. 2006/8/EC). Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP), Regulation (EC) n.790/2009.D.Lgs. September 21, 2005 n. 238 (Seveso Directive Ter).

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information



SILITE NORMAL SPEED

Issued on 04/20/2016 - Rel. # 2 on 04/20/2016

11 / 11

In conformity to Regulation (EU) 2015/830

16.1. Other information

Main normative references:

Directive 1999/45/EC. Directive 2001/60/EC. Regulation 1272/2008/EC. Regulation 2010/453/EC.

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX0950-CLP-REG.830)

Changes to the previous edition: conformity Reg. 830