



SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : FERMOTAN BLANC
Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Tannins

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Process aid for enological use

Not recommended uses

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB BIOCHEMICAL USA
111 N Cluff Avenue
Lodi CA 95240 (USA)
Tel: +1 2096258139 Fax: +1 2092248953
Email: info@aebusa.com - Internet: www.aeb-group.com

Produced by
AEB SpA
Via Vittorio Arici 104 S. Polo
25134 Brescia

1.4. Emergency telephone number

Centralino/Switchboard/Telefonzentrale: +1 2096258139

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07

Hazard Class and Category Code(s):

Skin Irrit. 2, Eye Irrit. 2

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS07 - Warning

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.





Issued on 04/20/2016 - Rel. # 3 on 01/08/2016

2 / 9

In conformity to Regulation (EU) 2015/830

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

Response

P302+P352 - IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains:

GALL AND ELLAGIC TANNIN

Only for professional use

For limited use in foodstuffs: enological use

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
NUTGAL TANNIN	> 30 <= 50%	Skin Irrit. 2, H315; Eye Irrit. 2, H319		1401-55-4	215-753-2	
ELLAGIC TANNIN	> 30 <= 50%					

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take off immediately contaminated clothing.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.



4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage



7.1. Precautions for safe handling

At work do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Manufacture of food products:

Handle with care.

Store in a clean, dry, ventilated area away from heat and direct sunlight.

Keep container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

No data available.

8.2. Exposure controls



Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Not required when proper ventilation is provided. Alternatively use protective mask.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

=====

Related to contained substances:

NUTGAL TANNIN:

Personal protective equipment:

General rules for protective and hygiene of work:

In the case of dusts or aerosols do, use a breathing apparatus approved filter.



For a short period using filtering equipment suitable for the danger.

Wash hands before breaks and at the end of the work.

Protective mask: not required.

Protection of hands:

glove material must be waterproof and durable against the product/the substance/formulation.

Because of lack of evidence, no recommendation to the glove material can be given for the product/the formulation/the chemical mixture.

Choice of material of gloves in consideration of time passing, and permeation rate of degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also other features of quality and varies from manufacturer to manufacturer.

Permeation time of glove material

The precise break time must be discovered by the manufacturer of the protective gloves and has to be observed.

Goggles: goggles by chemical agents.

ELLAGIC TANNIN

Respiratory protection: protective mask

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Brown fine powder	
Odour	characteristic	
Odour threshold	not determined	
pH	3,0 ± 0,5 (20°C; sol. 1%)	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	not determined	
Flash point	irrelevant	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	irrelevant	
Upper/lower flammability or explosive limits	irrelevant	
Vapour pressure	irrelevant	
Vapour density	irrelevant	
Relative density	0,40 ± 0,05 (20°C)	
Solubility	not determined	
Water solubility	not determined	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	irrelevant	
Decomposition temperature	irrelevant	
Viscosity	not determined	
Explosive properties	irrelevant	
Oxidising properties	irrelevant	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity



10.1. Reactivity

=====

Related to contained substances:

ELLAGIC TANNIN

Reactions with different metals

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Exposure to heat

10.5. Incompatible materials

Incompatible with iron, heavy metal salts, alkaloids, gelatin, albumin, starches, oxidizing materials, lime water.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: If brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

(c) serious eye damage/irritation: If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours.

(d) respiratory or skin sensitization: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

=====

Related to contained substances:

ELLAGIC TANNIN:

Acute toxic:

Primary: Irritabil

On the skin: no irritant effect.

Eyes: not particularly irritating.



Ingestion: harmful if swallowed can be.
Inhalation: May be harmful if inhaled.
Sensitization: No sensitizing effects known.
ENOLOGICAL TANNIN:
LD50 = 6000 mg/kg (rabbit-oral)
LD50 = 4000 mg/kg (rat, inhalation 4:0)
LD50 (rat) Oral (mg/kg body weight) = 6000

SECTION 12. Ecological information

12.1. Toxicity

Use according to good working practices and avoid to disperse the product into the environment.

Related to contained substances:

NUTGAL TANNIN:

Predictable is not relevant.

ELLAGIC TANNIN:

Non-toxic for aquatic organisms under 1% w/v

Non-toxic for plants under 3% w/v

12.2. Persistence and degradability

Related to contained substances:

ELLAGIC TANNIN:

After oxidation

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).



Issued on 04/20/2016 - Rel. # 3 on 01/08/2016

8 / 9

In conformity to Regulation (EU) 2015/830

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Leg. 3/2/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Decree No. 14/3/2003. 65 (Classification, packaging and labeling of dangerous substances). Leg. 2/2/2002 n. 25 (risks related to chemical agents at work). Ministerial Decree Jobs 26/02/2004 (occupational exposure limits); DM 04/03/2007 (Implementation of Directive no. 2006/8/EC). Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP), Regulation (EC) n.790/2009.D.Lgs. September 21, 2005 n. 238 (Seveso Directive Ter).

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Description of hazard statements set out in paragraph 3

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC.

Directive 2001/60/EC.

Regulation 1272/2008/EC.

Regulation 2010/453/EC.



Issued on 04/20/2016 - Rel. # 3 on 01/08/2016

9 / 9

In conformity to Regulation (EU) 2015/830

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX1544-CLP-REG.830)

Changes to the previous edition: conformity Reg. 830
